

Figures

Figure	#	Item	Page
Figure	1.01:	Stock and Flow of RRT, Malaysia 1995 – 2004	2
*	(a)	New Dialysis and Transplant patients	2
*	(b)	Patients Dialysing and with Functioning Transplant at 31st December 1995 – 2004	2
Figure	1.02:	New Dialysis Acceptance and New Transplant Rate 1995 - 2004	3
Figure	1.03:	Dialysis and Transplant Prevalence Rate per million population 1995 - 2004	4
Figure	2.2.1(a):	Distribution of dialysis centres by Sector, December 2004	7
Figure	2.2.1(b):	Distribution of HD capacity by Sector, December 2004	8
Figure	2.2.1(c):	Distribution of dialysis patients by Sector, December 2004	8
Figure	2.2.1(d):	HD capacity: patient ratio by Sector, December 2004	8
Figure	2.2.2(a):	Distribution of dialysis centres by State, December 2004	9
Figure	2.2.2(b):	Distribution of dialysis patients by State, December 2004	10
Figure	2.2.2(c):	Distribution of dialysis treatment by State, December 2004	10
Figure	2.2.2(d):	HD capacity to patient ratio by State, December 2004	10
Figure	2.2.3:	Growth in HD capacity and HD patients in Private, NGO and MOH sectors, 1999-2004	11
Figure	2.3.1(a):	Dialysis Treatment by Gender 1995 – 2004	12
Figure	2.3.1(b):	Gender Distribution of Dialysis patients 1995 – 2004	13
Figure	2.3.2(a):	Dialysis Treatment Rate by Age Group, per million age group population 1995 - 2004	13
Figure	2.3.2(b):	Age Distribution of New Dialysis patients 1995 – 2004	14
Figure	2.3.3:	Method and Location of Dialysis Patients 1995 – 2004	15
Figure	2.3.4:	Funding for Dialysis Treatment 1995 – 2004	16
Figure	2.3.5:	Distribution of Dialysis Patients by Sector 1995 – 2004	17
Figure	2.4.1:	Primary Renal Disease for New Dialysis Patients 1995– 2004	18
Figure	3.1.1:	Death Rates on Dialysis 1995 – 2004	20
Figure	3.1.3:	Variation in Death Rates among HD centres, year 2003	22
Figure	3.2.2:	Unadjusted patient survival by year of entry, 1995-2004	23
Figure	3.2.3:	Unadjusted patient survival by age, 1995-2004	24
Figure	3.2.4:	Unadjusted patient survival by Diabetes status, 1995-2004	25
Figure	4.1:	Cumulative distribution of QL-Index score in relation to Dialysis modality, All Dialysis patients 1997-2004	27
Figure	4.2:	Cumulative distribution of QL-Index score in relation to Diabetes mellitus, All Dialysis patients 1997-2004	27
Figure	4.3:	Cumulative distribution of QL-Index score in relation to Gender, All Dialysis patients 1997-2004	28
Figure	4.4:	Cumulative distribution of QL-Index score in relation to Age, All Dialysis patients 1997-2004	28
Figure	4.5:	Cumulative distribution of QL-Index score in relation to Year of entry, HD patients 1997-2004	29
Figure	4.6:	Cumulative distribution of QL-Index score in relation to Year of entry, CAPD patients 1997-2004	29
Figure	5.01a:	Incident cases of RRT by modality in children under 20 years old, 1990-2004	32
Figure	5.01b:	Prevalent cases of RRT by modality in children under 20 years old, 1990-2004	32
Figure	5.02:	Incidence and prevalence rate per million age related population years old on RRT, 1990-2004	33
Figure	5.04:	Number of New Dialysis and Transplant Patients by gender 1990-2004	34
Figure	5.05:	Dialysis and Transplant Treatment Rate by Age group 1990-2004	35
Figure	5.06:	New Dialysis by treatment modality 1990-2004	35
Figure	5.07:	New Dialysis by sector 1990-2004	35
Figure	5.10:	Patient Survival by Modality of RRT, 1990-2004	37
Figure	5.11:	Dialysis Technique Survival by Modality, 1990-2004	38
Figure	5.12:	Transplant Graft Survival 1990-2004	38
Figure	6.1.3:	Variation in Erythropoietin utilization (% patients) among HD centres, 2004	41
Figure	6.1.4:	Variation in Erythropoietin utilization (% patients) among CAPD centres, 2004	41
Figure	6.1.5:	Variation in median weekly Erythropoietin dose (u/week) among HD centres 2004	42

Figure 6.1.6:	Variation in median weekly Erythropoietin dose (u/week) among CAPD centres 2004	42
Figure 6.1.7:	Variation in use of blood transfusion (% patients) among HD centres, 2004	43
Figure 6.1.8:	Variation in use of blood transfusion (% patients) among CAPD centres, 2004	43
Figure 6.2.1:	Cumulative distribution of Serum Ferritin without Erythropoietin, HD patients 1997-2004	44
Figure 6.2.2:	Cumulative distribution of Serum Ferritin without Erythropoietin, CAPD patients 1997-2004	44
Figure 6.2.3:	Cumulative distribution of Serum Ferritin on Erythropoietin, HD patients 1997-2004	45
Figure 6.2.4:	Cumulative distribution of Serum Ferritin on Erythropoietin, CAPD patients 1997-2004	45
Figure 6.2.5:	Cumulative distribution of transferrin saturation without Erythropoietin, HD patients 1997-2004	46
Figure 6.2.6:	Cumulative distribution of transferrin saturation without Erythropoietin, CAPD patients 1997-2004	46
Figure 6.2.7:	Cumulative distribution of transferrin saturation on Erythropoietin, HD patients 1997-2004	47
Figure 6.2.8:	Cumulative distribution of transferrin saturation on Erythropoietin, CAPD patients 1997-2004	47
Figure 6.2.9(a):	Variation in median serum ferritin among patients on erythropoietin, HD centres 2004	48
Figure 6.2.9(b):	Variation in proportion of patients on erythropoietin with serum ferritin ≥ 100 ng/ml, HD centres 2004	48
Figure 6.2.9(c):	Variation in median transferrin saturation among patients on erythropoietin, HD centres 2004	49
Figure 6.2.9(d):	Variation in proportion of patients on erythropoietin with transferrin saturation $\geq 20\%$, HD centres 2004	49
Figure 6.2.10(a):	Variation in median serum ferritin among patients on erythropoietin, CAPD centres 2004	50
Figure 6.2.10(b):	Variation in proportion of patients on erythropoietin with serum ferritin ≥ 100 ng/ml, CAPD centres 2004	50
Figure 6.2.10(c):	Variation in median transferrin saturation among patients on erythropoietin, CAPD centres 2004	51
Figure 6.2.10(d):	Variation in proportion of patients on erythropoietin with transferrin saturation $\geq 20\%$, CAPD centres 2004	51
Figure 6.3.1:	Cumulative distribution of haemoglobin Concentration without Erythropoietin, HD patients 1997-2004	52
Figure 6.3.2:	Cumulative distribution of haemoglobin concentration without Erythropoietin, CAPD patients 1997-2004	52
Figure 6.3.3:	Cumulative distribution of Haemoglobin Concentration on Erythropoietin, HD patients 1997-2004	53
Figure 6.3.4:	Cumulative distribution of Haemoglobin Concentration on Erythropoietin, CAPD patients 1997-2004	53
Figure 6.3.5(a):	Variation in median haemoglobin level among patients on Erythropoietin, HD centres 2004	54
Figure 6.3.5(b):	Variation in proportion of patients on erythropoietin with haemoglobin level > 10 g/dL, HD centres 2004	54
Figure 6.3.5(c):	Variation in proportion of patients on erythropoietin with haemoglobin level > 11 g/dL, HD centres 2004	55
Figure 6.3.6(a):	Variation in median haemoglobin level among patients on Erythropoietin, CAPD centres 2004	55
Figure 6.3.6(b):	Variation in proportion of patients on erythropoietin with haemoglobin level > 10 g/dL, CAPD centres 2004	56
Figure 6.3.6(c):	Variation in proportion of patients on erythropoietin with haemoglobin level > 11 g/dL, CAPD centres 2004	56
Figure 7.1.1:	Cumulative distribution of Albumin (g/L), HD patients 1997-2004	58
Figure 7.1.2:	Cumulative distribution of Albumin (g/L), CAPD patients 1997-2004	59
Figure 7.1.3:	Variation in Proportion of patients with serum albumin ≥ 40 g/L, HD centres 2004	60
Figure 7.1.4:	Variation in Proportion of patients with serum albumin ≥ 40 g/L, CAPD centres 2004	61
Figure 7.2.1:	Cumulative distribution of BMI, HD patients 1997-2004	62
Figure 7.2.2:	Cumulative distribution of BMI, CAPD patients 1997-2004	63
Figure 7.2.3:	Variation in Proportion of patients with BMI ≥ 18.5 , HD centres 2004	64
Figure 7.2.4:	Variation in Proportion of patients with BMI ≥ 18.5 , CAPD centres 2004	65
Figure 8.1.1:	Cumulative distribution of Pre dialysis Systolic Blood Pressure (mmHg), HD patients 1997-2004	67

Figure 8.1.2:	Cumulative distribution of Pre dialysis Systolic Blood Pressure (mmHg), CAPD patients 1997-2004	68
Figure 8.1.3:	Cumulative distribution of Pre dialysis Diastolic Blood Pressure (mmHg), HD patients 1997-2004	69
Figure 8.1.4:	Cumulative distribution of Pre dialysis Diastolic Blood Pressure (mmHg), CAPD patients 1997-2004	70
Figure 8.1.5(a):	Variation in median systolic blood pressure (mmHg) among HD patients, HD centres 2004	71
Figure 8.1.5(b):	Variation in median diastolic blood pressure (mmHg) among HD patients, HD centres 2004	72
Figure 8.1.5(c):	Variation in proportion of HD patients with pre dialysis blood pressure \leq 140/90 mmHg, HD centres 2004	72
Figure 8.1.6(a):	Variation in median systolic blood pressure (mmHg) among CAPD patients, CAPD centres 2004	73
Figure 8.1.6(b):	Variation in median diastolic blood pressure (mmHg) among CAPD patients, CAPD centres 2004	74
Figure 8.1.6(c):	Variation in proportion of CAPD patients with pre dialysis blood pressure \leq 140/90 mmHg, CAPD centres 2004	74
Figure 8.2.1:	Cumulative distribution of Cholesterol (mmol/L), HD patients 1997-2004	75
Figure 8.2.2:	Cumulative distribution of Cholesterol (mmol/L), CAPD patients 1997-2004	75
Figure 8.2.3:	Cumulative distribution of serum Triglyceride (mmol/L), HD patients 1997-2004	76
Figure 8.2.4:	Cumulative distribution of serum Triglyceride (mmol/L), CAPD patients 1997-2004	77
Figure 8.2.5(a):	Variation in median serum cholesterol level among HD patients, HD centres 2004	78
Figure 8.2.5(b):	Variation in proportion of patients with serum cholesterol $<$ 5.3 mmol/L, HD centres 2004	78
Figure 8.2.5(c):	Variation in median serum triglyceride level among HD patients, HD centres 2004	79
Figure 8.2.5(d):	Variation in proportion of patients with serum triglyceride $<$ 2.1 mmol/L, HD centres 2004	79
Figure 8.2.6(a):	Variation in median serum cholesterol level among CAPD patients, CAPD centres 2004	80
Figure 8.2.6(b):	Variation in proportion of patients with serum cholesterol $<$ 5.3 mmol/L, CAPD centres 2004	80
Figure 8.2.6(c):	Variation in median serum triglyceride level among CAPD patients, CAPD centres 2004	81
Figure 8.2.6(d):	Variation in proportion of patients with serum triglyceride $<$ 2.1 mmol/L, CAPD centres 2004	81
Figure 9.2.1:	Cumulative distribution of corrected Serum Calcium, HD patients 1997-2004	84
Figure 9.2.2:	Cumulative distribution of corrected Serum Calcium, CAPD patients 1997-2004	84
Figure 9.2.3:	Cumulative distribution of Serum Phosphate, HD patients 1997-2004	85
Figure 9.2.4:	Cumulative distribution of Serum Phosphate, CAPD patients 1997-2004	85
Figure 9.2.5:	Cumulative distribution of corrected Calcium x Phosphate product, HD patients 1997-2004	86
Figure 9.2.6:	Cumulative distribution of corrected Calcium x Phosphate product, CAPD patients 1997-2004	86
Figure 9.2.7(a):	Variation in median serum calcium level among HD patients, HD centres 2004	87
Figure 9.2.7(b):	Variation in proportion of patients with serum calcium 2.2 to 2.6 mmol/L, HD centres 2004	88
Figure 9.2.8(a):	Variation in median serum calcium level among CAPD patients, CAPD centres 2004	89
Figure 9.2.8(b):	Variation in proportion of patients with serum calcium 2.2 to 2.6 mmol/L, CAPD centres 2004	89
Figure 9.2.9(a):	Variation in median serum phosphate level among HD patients, HD centres 2004	90
Figure 9.2.9(b):	Variation in proportion of patients with serum phosphate \leq 1.6 mmol/L, HD centres 2004	90
Figure 9.2.10(a):	Variation in median serum phosphate level among CAPD patients, CAPD centres 2004	91
Figure 9.2.10(b):	Variation in proportion of patients with serum phosphate \leq 1.6 mmol/L, CAPD centres 2004	91
Figure 9.2.11(a):	Variation in median corrected calcium x phosphate product among HD patients, HD centres 2004	92
Figure 9.2.11(b):	Variation in proportion of patients with corrected calcium x phosphate product $<$ 4.5 mmol ² /L ² , HD centres 2004	92

Figure	9.2.12(a):	Variation in median corrected calcium x phosphate product among CAPD patients, CAPD centres 2004	93
Figure	9.2.12(b):	Variation in proportion of patients with corrected calcium x phosphate product < 4.5 mmol ² /L ² , CAPD centres 2004	93
Figure	10.3:	Variation in Proportion of patients with positive HBsAg among HD centres, 2004	97
Figure	10.4:	Variation in Proportion of patients with positive HBsAg among CAPD centres, 2004	97
Figure	10.5:	Variation in Proportion of patients with positive anti-HCV among HD centres, 2004	98
Figure	10.6:	Variation in Proportion of patients with positive anti-HCV among CAPD centres, 2004	99
Figure	11.2.1:	Blood Flow Rates in HD Units, 1997–2004	103
Figure	11.2.4:	Dialyser membrane types in HD Units, 1997 – 2004	105
Figure	11.2.7:	Cumulative distribution of prescribed KT/V, HD patients 1997-2004	107
Figure	11.2.8(a):	Variation in median blood flow rates in HD patients among HD centres 2004	108
Figure	11.2.8(b):	Variation in Proportion of patients with blood flow rates > 250 ml/min among HD centres 2004	109
Figure	11.2.8(c):	Variation in proportion of patients with 3 HD sessions per week among HD centres 2004	110
Figure	11.2.8(d):	Variation in median prescribed KT/V in HD patients among HD centres 2004	110
Figure	11.2.8(e):	Variation in proportion of patients with prescribed KT/V ≥1.3 among HD centres 2004	111
Figure	11.3.1:	Unadjusted technique survival by Dialysis modality, 1995-2004	112
Figure	11.3.2:	Unadjusted technique survival by year of entry, 1995-2004	113
Figure	11.3.3:	Unadjusted technique survival by age, 1995-2004	114
Figure	11.3.4:	Unadjusted technique survival by Diabetes status, 1995-2004	115
Figure	12.2.1:	Cumulative distribution of delivered KT/V, CAPD patients 2003-2004	119
Figure	12.2.2:	Variation in proportion of patients with KT/V ≥ 2.0 per week among 121CAPD centres 2004	119
Figure	12.3.1:	Unadjusted technique survival by Dialysis modality, 1995-2004	121
Figure	12.3.2:	Unadjusted technique survival by year of entry, 1995-2004	122
Figure	12.3.3:	Unadjusted technique survival by age, 1995-2004	123
Figure	12.3.4:	Unadjusted technique survival by Diabetes status, 1995-2004	124
Figure	12.3.5:	Unadjusted technique survival by Gender, 1995-2004	124
Figure	12.4.1:	Variation in peritonitis rate (pt-month/ epi) among CAPD centres 2004	125
Figure	13.1.1:	Stock and Flow of Renal Transplantation, 1975-2004	129
Figure	13.1.2:	New transplant rate, 1975-2004	130
Figure	13.1.3:	Transplant prevalence rate, 1975-2004	130
Figure*	13.4.2(a):	Transplant Recipient Death Rate, 1975-2004	136
Figure*	13.4.2(b):	Transplant Recipient Graft Loss Rate, 1975-2004	136
Figure	13.4.5:	Patient survival, 1993-2004	139
Figure	13.4.6:	Graft survival, 1993-2004	139
Figure	13.4.7:	Patient survival by type of transplant, 1993-2004	140
Figure	13.4.8:	Graft survival by type of transplant, 1993-2004	141
Figure	13.4.9:	Patient survival by year of transplant (Living related transplant, 1993-2004)	141
Figure	13.4.10:	Graft survival by year of transplant (Living related transplant, 1993-2004)	142
Figure	13.4.11:	Patient survival by year of transplant (Commercial cadaver transplant, 1993-2004)	143
Figure	13.4.12:	Graft survival by year of transplant (Commercial cadaver transplant, 1993-2004)	143