
16TH REPORT
OF THE MALAYSIAN
DIALYSIS & TRANSPLANT REGISTRY
2008

Sponsors :
Malaysian Society of Nephrology
Association of Dialysis Medical Assistants and Nurses

The National Renal Registry is funded with grants from :
The Ministry of Health Malaysia
Ain Medicare
Baxter Healthcare
Fresenius Medical Care
Roche

April 2009
© National Renal Registry, Malaysia
ISSN 1675-8862

Published by:

The National Renal Registry

Malaysian Society of Nephrology
2nd Floor, MMA House
124, Jalan Pahang
50286 Kuala Lumpur
Malaysia

Telephone. : (603) 4045 8636
Direct Fax : (603) 4042 7694
e-mail : nrr@msn.org.my
Web site : <http://www.msn.org.my/nrr>

Important information:

This report is copyrighted. However it may be freely reproduced without the permission of the National Renal Registry. Acknowledgment would be appreciated. Suggested citation is: YN Lim, TO Lim (Eds). Sixteenth Report of the Malaysian Dialysis and Transplant 2008, Kuala Lumpur 2009

This report is also published electronically on the website of the National Renal Registry at:
<http://www.msn.org.my/nrr>

ACKNOWLEDGEMENTS

The National Renal Registry would like to thank the following:

***To the Nephrologists, physicians and staff of the Dialysis and Transplant follow-up centres who have participated all this while:
Many thanks, please continue the good work.***

***To the Nephrologists, physicians and staff of new Dialysis Centres:
Welcome, thank you and please continue the good work as well.***

***The Ministry of Health, Malaysia for their grant and other support seen
and unseen,***

For their generous support:-

Ain Medicare

Baxter Healthcare

Fresenius Medical Care

Roche

***Members of the National Transplant Registry who have kindly
contributed to this Report***

&

***All who have in one way or another contributed to the success of the
Malaysian Dialysis and Transplant Registry.***

NRR Advisory Board Members 2008 to 2010

Chairman : **Dr. Zaki Morad B Mohd Zaher**

Dr. Lim Teck Onn

Members : **Dr. Lim Yam Ngo**

Dr. T. Thiruventhiran

Dr. Tan Hee Wu

Dr. Wong Hin Seng

Secretariat : **Lee Day Guat**

MDTR Steering Committee Members 2009 to 2010

Chairman : **Dr. Zaki Morad B Mohd Zaher**

Dr. Lim Teck Onn

Dr. Lim Yam Ngo

Members : **Dr. T. Thiruventhiran**

Dr. Tan Hee Wu

Dr. Wong Hin Seng

Mr. Tam Chong Chiang

Ms. Fauziah Nizamudin

Secretariat : **Lee Day Guat**

NRR OFFICE STAFF

Clinical Registry Manager : **Lee Day Guat**

Clinical Registry Assistant : **Choo Cheh Loo**

Nur Hasliana Abdul Halit

Suhazelini Ali

TECHNICAL SUPPORT STAFF

Network Director of CRC : **Dr. Lim Teck Onn**

Epidemiologist : **Dr. Jamaiah Haniff**

IT Manager : **Celine Tsai Pao Chien**

Database Administrator : **Lim Jie Ying**

Kevin Ng Hong Heng

Network Administrators : **Adlan Ab Rahman**

Scott Huang Li Surin

Statistician : **Dr. Hoo Ling Ping**


Webmaster : **Patrick Lum See Kai**

Desktop Publisher : **Azizah Alimat**

About the National Renal Registry (NRR)

The National Renal Registry (NRR) has its origin in the Dialysis and Transplant Registry established by the Department of Nephrology in 1992. Its ownership was subsequently transferred to the Malaysian Society of Nephrology in 1995.

The NRR organization is as follows:



NRR Advisory Board

This is the committee established by the MSN to oversee the operations of the NRR registries and databases. Members are appointed by the MSN Council for the same duration of the council. Interested parties including source data producers, Renal Registry Unit and target groups or users are represented on this committee. The board will be the liaison between Nephrology Services and the Clinical Research Centre.

Clinical Research Centre (MOH)

The Clinical Research Centre (CRC) is the clinical research arm of the Ministry of Health (MOH) to conduct clinical trials, clinical epidemiology and economic research, and manage complex medical databases. It is through the CRC that the registry received part of its funding from the National Institutes of Health (NIH). One of the public health missions of MOH is to improve patients' health outcomes through ethical and quality clinical research.

Steering Committee

The members in this committee are appointed by the NRR Advisory Board. The chair person shall be co-opted into the NRR Advisory Committee without voting right for decision making. The committee shall oversee to the operation of the designated registry / databases.

The NRR family registries/databases are as follows. The established and operation are:

- Malaysian Dialysis and Transplant Registry (MDTR)
- Malaysian Registry of Renal Biopsy (MRRB)
- e-Malaysian Organ Sharing System (eMOSS) – Potential renal recipient waiting list.

Expert panels

Members appointed by Steering Committee as content experts to the individual chapters of the annual report.

The objectives of the NRR are to:

1. Determine the disease burden attributable to renal diseases, and its geographic and temporal trends in Malaysia.
2. Determine the outcomes, and factors influencing outcomes of treatment and services
3. Stimulate and facilitate research related to renal diseases and its prevention to ESRD.
4. Evaluate the RRT program.
5. Maintain the national renal transplant waiting list.
6. Tracking the nephrology trainee performance of specialize procedures.

The Dialysis and Transplant Registry was established by the Department of Nephrology, Kuala Lumpur Hospital (HKL) in 1992 to collect data from patients on renal replacement therapy within the Ministry of Health (MOH). In order to expand coverage to include non-MOH patients so that the registry may truly claim to be a national one, the ownership was transferred to the Malaysian Society of Nephrology. It was subsequently named Malaysian Dialysis and Transplant Registry (MDTR). MDTR collects information on patients with end stage renal disease (ESRD) on renal replacement therapy (RRT) in Malaysia.

Objectives:

The objectives of the registry are as follows:

1. **Describe the natural history of ESRD.** The registry shall describe the characteristics of patients with ESRD, its management, and patient survival and quality of life outcomes with treatment; and shall describe variation thereof across different groups, healthcare sectors or geographic regions, and its secular trend over time in Malaysia.
2. **Determine effectiveness of treatments for ESRD.** The registry shall determine clinical effectiveness and cost effectiveness of treatments of ESRD in real-world clinical practices in Malaysia.
3. **Monitor safety and harm of products and services used in the treatment of ESRD.** The registry shall serve as an active surveillance system for the occurrence of unexpected or harmful events for products and services.
4. **Evaluating access to and quality of treatment services for ESRD.** The registry shall assess differences between providers or patient populations based on performance measures that compare treatments provided or outcomes achieved with “gold standards” (e.g., evidence-based guidelines) or comparative benchmarks for specific health outcomes (e.g., risk-adjusted survival rates). Such programs may be used to identify disparities in access to care, demonstrate opportunities for improvement, establish differentials for payment by third parties, or provide transparency through public reporting.
5. **To maintain the national renal transplant waiting list electronically – the eMOSS or electronic Malaysian Organ Sharing System.** The dialysis registry shall maintain and update patients on dialysis who do not have contraindications to kidney transplantation onto the national renal transplant waiting list according to published agreed criteria. This list is available on the web for ready access by the transplant physicians any time a deceased kidney becomes available.

Registry design:

This is a multi-center, observational cohort study designed to evaluate the health outcomes of patients with ESRD undergoing treatment at participating clinical centres. Patient inclusion criterion is deliberately broad and shall include any patient with a confirmed diagnosis of ESRD.

There is no prescribed study visits. Patient shall attend the clinical site as and when required per the standard of care at the site. Required data shall be collected as they become available.

- A clinical site shall notify all new patients to the registry, and shall continue to do so until the termination of the registry. Patients shall be follow-up for life.
- Participation. Site shall notify the patients' treatment to the registry in a calendar year of its participation. A site shall similarly notify patients during each year of its participation in the registry.

Registry study population:

The registry study population consists of male or female patients with ESRD to be recruited from participating sites in Malaysia. Participation in this study is voluntary. However, in accordance with the Private Health-care Facilities Act 1998 (AKTA 586), all dialysis health facility are required to submit data to the Malaysian Dialysis and Transplant Registry (MDTR).

All clinical centres or sites that satisfy the following selection criteria will be invited to participate:

1. This registry is opened to all clinical sites that provide RRT services for patients with ESRD in Malaysia.
2. Each site shall have a Principal Investigator who is also a licensed physician / Surgeon and a qualified professional experienced with ESRD management.
3. Each site shall appoint a Site Coordinator (SC). The SC is the person at the participating clinical site who is responsible for all aspects of registry management and data collection at site, and who will liaise with the Clinical Registry Manager (CRM) and Clinical Registry Assistant (CRA) at the Registry Coordinating Centre (RCC).
4. Each site shall accept responsibility for data collection, as well as for ensuring proper record keeping and registry document filing.
5. Each site shall agree to comply with the registry procedures and shall be willing to be subjected to ongoing review of data by CRM or CRA or other representative of MDTR. This may include one or more site visits by prior arrangement

Patient eligibility criteria:

- All new patients with ESRD undergoing treatment at a participating clinical site are eligible for entry into the registry.
- In addition, a site may opt to enter existing patients on follow-up at the site into the registry.

Registry data:

The data elements to be collected by the registry shall be relevant and reliable with modest burden to sites, shall comply with existing data standard where this exists, shall be compatible with established data set used by other existing registries, and shall employ standard terminology (dictionary) where available.

Two datasets are defined:

- Core dataset: These are data elements that are needed to address the key questions for which the registry was created.
- Non-core dataset: these are speculative data elements included to provide an opportunity to generate hypotheses or to explore other subsidiary questions not of primary interest to the registry.

The data domains and related specific data elements to be collected by this registry is tabulated below:

A	Identifier	Name, NRIC number, Other identifying document numbers, Address, Contact numbers
B	Demographics	Age, Sex, Ethnicity, Educational attainment, Occupation, Household Income group, Weight & Height, Use of tobacco, Funding for Treatment
C	Medical history	Medical history/ comorbidities, Family history
D	ESRD diagnosis	Date of first diagnosis, Date re-entering each RRT.
E	Laboratory investigations	Date & time of tests, Blood chemistry, Hematology, Serology
F	Treatment	Modalities of RRT- haemodialysis, peritoneal dialysis; treatment of other uraemic complications; kidney transplantation
G	Outcomes	Patient survival; death, date of death, cause of death Quality of Life/ Work rehabilitation status
H	Economics	Source of funding for dialysis treatment, and immunosuppressive drug treatment for transplantation
J	Healthcare provider characteristics	Sector providing dialysis treatment, (private, public or NGO),

PARTICIPATING HAEMODIALYSIS CENTRES 2008

Johor Darul Takzim

1. Amitabha Haemodialysis Centre Johor Bahru, HD Unit
2. Batu Pahat Hospital, HD Unit
3. Batu Pahat Rotary, HD Unit
4. BP Renal Care (Rengit), HD Unit
5. BP Renal Care (Batu Pahat), HD Unit
6. BP Renal Care (Kluang), HD Unit
7. BP Renal Care (Segamat), HD Unit
8. BP Renal Care Simpang Renggam, HD Unit
9. BP Renalcare (Yong Peng), HD Unit
10. Hospital Pakar Sultanah Fatimah Muar, HD Unit
11. JB Lions MAA-Medicare Charity Dialysis Centre (1), HD Unit
12. JB Lions MAA-Medicare Charity Dialysis Centre (2), HD Unit
13. JJ Lions Dialysis Centre, HD Unit
14. Johor Quarries Association Dialysis Centre, HD Unit
15. Johor Specialist Hospital, HD Unit
16. Kluang Hospital, HD Unit
17. Kota Tinggi Hospital, HD Unit
18. Mersing Hospital, HD Unit
19. Mersing Rotary Centre, HD Unit
20. Muar Dialysis, HD Unit
21. Muar Lions Renal Centre, HD Unit
22. Persatuan Membaiki Akhlak-Che Luan Khor_NKF, HD Unit
23. Pertubuhan Hemodialisis Muhibbah Segamat (Labis), HD Unit
24. Pertubuhan Hemodialisis Muhibbah, HD Unit
25. Pontian Hospital, HD Unit
26. Pontian Rotary Haemodialysis Centre, HD Unit
27. Premier Renal Care, HD Unit
28. Prima Dialysis Kluang, HD Unit
29. Prima Dialysis Masai, HD Unit
30. Pusat Dialisis Nefro Utama (Johor Bahru), HD Unit
31. Pusat Dialisis Nefro Utama (Kota Tinggi), HD Unit
32. Pusat Dialisis Nefro Utama (Pontian), HD Unit
33. Pusat Dialisis Perbadanan Islam (Johor Bahru), HD Unit
34. Pusat Dialisis Perbadanan Islam (Pontian), HD Unit
35. Pusat Dialisis Waqaf An-nur (Batu Pahat), HD Unit
36. Pusat Dialisis Waqaf An-nur (Kota Raya), HD Unit
37. Pusat Dialisis Waqaf An-nur (Pasir Gudang), HD Unit
38. Pusat Dialysis Makmur, HD Unit
39. Pusat Haemodialisis Suria (Tangkak), HD Unit
40. Pusat Haemodialysis Amal Lexin, HD Unit
41. Pusat Hemodialisis Ar-Raudhah, HD Unit
42. Pusat Hemodialisis Darul Takzim, HD Unit
43. Pusat Hemodialisis Hidayah, HD Unit
44. Pusat Hemodialisis MAIJ, HD Unit
45. Pusat Hemodialisis Muar, HD Unit
46. Pusat Hemodialisis Rotary Kota Tinggi, HD Unit
47. Pusat Hemodialisis Rotary Kulai, HD Unit
48. Pusat Hemodialisis Sejahtera Muar, HD Unit
49. Pusat Kesihatan Universiti (UTHO), HD Unit
50. Pusat Perubatan Perbadanan Islam (Segamat), HD Unit
51. Segamat Hospital, HD Unit
52. Sultan Ismail Hospital (Paed), HD Unit
53. Sultan Ismail Hospital, HD Unit
54. Sultanah Aminah Hospital, HD Unit
55. Systemic Dialysis Centre, HD Unit
56. Tangkak Hospital, HD Unit
57. Tangkak Lions Renal Centre, HD Unit
58. Temenggong Seri Maharaja Tun Ibrahim Hospital, HD Unit
59. The Rotary HD Centre (Johor Bahru), HD Unit
60. Yayasan Pembangunan Keluarga Johor-NKF, HD Unit
61. Yayasan Rotary Kluang, HD Unit
62. Zhi En Dialysis Centre, HD Unit

Kedah Darul Aman

63. 807 Rumah Sakit Angkatan Tentera (Sg. Petani), HD Unit
64. Asia Renal Care (Penang), HD Unit
65. Baling Hospital, HD Unit
66. Buddhist Tzu Chi (Jitra), HD Unit
67. Kuala Nerang Hospital, HD Unit
68. Kulim Haemodialysis (CS Tan), HD Unit
69. Kulim Hospital, HD Unit
70. Langkawi Hospital, HD Unit
71. Metro Specialist Hospital, HD Unit
72. Pertubuhan Bakti Fo En Bandar Kulim, HD Unit
73. Pusat Dialisis Albukhary, HD Unit
74. Pusat Dialysis K K Tan (Sg Petani), HD Unit
75. Pusat Haemodialisis Dr. Ismail, HD Unit
76. Pusat Hemodialisis Beng Siew, HD Unit
77. Pusat Hemodialisis Mergong, HD Unit
78. Pusat Hemodialisis S P, HD Unit
79. Pusat Kesihatan Jitra, HD Unit
80. Pusat Pakar Dialisis Traktif Sdn Bhd (Jitra), HD Unit
81. Pusat Rawatan Hemodialisis Yayasan Emkay & Sultanah Bahiyah, HD Unit
82. Putra Medical Centre, HD Unit
83. Rawatan Dialisis Amal Lion_NKF, HD Unit
84. Renal Care (Kedah), HD Unit
85. Renal Medicare, HD Unit
86. Sik Hospital, HD Unit
87. Sultan Abdul Halim Hospital, HD Unit
88. Sultanah Bahiyah Hospital, HD Unit
89. Superkids Trinity-NKF Dialysis Centre, HD Unit
90. Yan Hospital, HD Unit

Kelantan Darul Naim

91. Gua Musang Hospital, HD Unit
92. Jeli Hospital, HD Unit
93. KB Rotary-MAA Charity Dialysis, HD Unit
94. Kuala Krai Hospital, HD Unit
95. Machang Hospital, HD Unit
96. Nephrolife Haemodialysis Centre, HD Unit
97. Pakar Perdana Hospital, HD Unit
98. Pasir Mas Hospital, HD Unit
99. Pusat Dialisis Yayasan Buah Pinggang Kebangsaan (Kota Bharu), HD Unit
100. Pusat Pakar Dialysis Traktif (Kota Bharu), HD Unit
101. Pusat Perubatan Tentera (Kota Bharu), HD Unit
102. Pusat Rawatan Dialisis Islah (Kota Bharu), HD Unit
103. Raja Perempuan Zainab II Hospital, HD Unit
104. Renal-Link (Kelantan), HD Unit
105. Tanah Merah Hospital, HD Unit
106. Tengku Anis Hospital, HD Unit
107. Tumpat Hospital, HD Unit
108. Universiti Sains Malaysia Hospital, HD Unit

Negeri Melaka

109. 94 Hospital Angkatan Tentera (Terendak), HD Unit
110. Alor Gajah Dialysis Centre, HD Unit
111. Alor Gajah Hospital, HD Unit
112. Amitabha Centre (Melaka), HD Unit
113. Damai Medical & Heart Clinic, HD Unit
114. Mahkota Medical Centre, HD Unit
115. Melaka Hospital, HD Unit
116. Pantai Air Keroh Hospital, HD Unit
117. Pusat Dialisis Giat Kurnia (Masjid Tanah), HD Unit
118. Pusat Dialisis Giat Kurnia (Merlimau), HD Unit
119. Pusat Dialisis Kenanga, HD Unit
120. Pusat Dialysis Comfort, HD Unit
121. Pusat Haemodialysis Suria (Jasin), HD Unit
122. Pusat HD SJAM Bacang Melaka, HD Unit
123. Pusat Hemodialisis Krisda, HD Unit
124. Pusat Hemodialisis SJAM Pulau Sebang, HD Unit
125. Sinar Hemodialisis, HD Unit
126. Tenang Haemodialysis Centre, HD Unit
127. Tenang Haemodialysis Jasin, HD Unit
128. Yakin Jaya, HD Unit
129. Yayasan Kebajikan The Southern Melaka, HD Unit

Negeri Sembilan Darul Khusus

130. Giat Kurnia Dialysis Centre (Nilai), HD Unit
131. Haemodialysis Mawar Gemas, HD Unit
132. Jelebu Hospital, HD Unit
133. Persada Dialysis Centre, HD Unit

134. Port Dickson Hospital, HD Unit
135. Pusat Dialisis Suria (Tampin), HD Unit
136. Pusat Haemodialisis Renalife, HD Unit
137. Pusat Hemodialisis Berkat Seroja, HD Unit
138. Pusat Hemodialisis Mawar N. Sembilan (Bahau), HD Unit
139. Pusat Hemodialisis Mawar N. Sembilan (Lukut), HD Unit
140. Pusat Hemodialisis Mawar N. Sembilan (Rantau), HD Unit
141. Pusat Hemodialisis Mawar N. Sembilan (Seremban), HD Unit
142. Pusat Pakar Dialisis Traktif (Kuala Pilah), HD Unit
143. Pusat W aqaf An-nur (Senawang), HD Unit
144. Seremban Specialist Hospital, HD Unit
145. Tampin Hospital, HD Unit
146. Tuanku Ampuan Najihah Hospital, HD Unit
147. Tuanku Jaafar Hospital (Paed), HD Unit
148. Tuanku Jaafar Hospital, HD Unit

Pahang Darul Makmur

149. Bentong Hospital, HD Unit
150. Fitra Med, HD Unit
151. Jengka Hospital, HD Unit
152. Jerantut Hospital, HD Unit
153. Kuala Lipis Hospital, HD Unit
154. Kuantan Clinical Diagnostic Centre, HD Unit
155. Lipis Dialysis Centre, HD Unit
156. MAA-Medicare Charity (Mentakab), HD Unit
157. Mentakab Haemodialysis Unit, HD Unit
158. Muadzam Shah Hospital, HD Unit
159. Pahang Buddhist Association, HD Unit
160. Pekan Hospital, HD Unit
161. Pusat Hemodialisis Islam Makmur, HD Unit
162. Pusat Rawatan Dialisis Tun Abdul Razak-NKF Kuantan, HD Unit
163. Raub Hospital, HD Unit
164. SJAM-KPS Haemodialysis Centre 9 (Raub), HD Unit
165. Sultan Haji Ahmad Shah Hospital, HD Unit
166. Suria Dialysis Centre (Temerloh)
167. Tengku Ampuan Afzan Hospital (Paed), HD Unit
168. Tengku Ampuan Afzan Hospital, HD Unit

Perak Darul Ridzuan

169. 96 Hospital Angkatan Tentera (Lumut), HD Unit
170. Batu Gajah Hospital, HD Unit
171. Berchaam Dialysis Centre, HD Unit
172. Changkat Melintang Hospital, HD Unit
173. Fatimah Hospital, HD Unit
174. Gerik Hospital, HD Unit
175. Hope Haemodialysis Society Ipoh, HD Unit
176. Kampar Hospital, HD Unit
177. Kuala Kangsar Hospital, HD Unit
178. MAA-Medicare Charity (Teluk Intan), HD Unit

PARTICIPATING HAEMODIALYSIS CENTRES 2008 (CONT...)

- | | |
|--|--|
| <p>179. MB Star Rawatan Dialisis, HD Unit</p> <p>180. Parit Buntar Hospital, HD Unit</p> <p>181. Perak Community Specialist Hospital, HD Unit</p> <p>182. Persatuan Amal Chin Malaysia Barat, HD Unit</p> <p>183. Pertubuhan Perkhidmatan Haemodialisis Ar-Ridzuan, HD Unit</p> <p>184. Pertubuhan Perkhidmatan Hemodialisis AIXIN Kerian, HD Unit</p> <p>185. PMA Chan Meng Khor-MAA Medicare Charity Dialysis Centre, HD Unit</p> <p>186. Pulau Pangkor Hospital, HD Unit</p> <p>187. Pusat Dialisis Darul Iltizam Taiping, HD Unit</p> <p>188. Pusat Dialisis Ehsan Perak (Parit Buntar), HD Unit</p> <p>189. Pusat Dialisis Intan, HD Unit</p> <p>190. Pusat Dialisis Kuala Kangsar, HD Unit</p> <p>191. Pusat Dialisis Penawar Permai, HD Unit</p> <p>192. Pusat Dialisis Setia (Ipoh), HD Unit</p> <p>193. Pusat Dialisis Taiping (Kamunting), HD Unit</p> <p>194. Pusat Dialisis Taiping (Kuala Kangsar), HD Unit</p> <p>195. Pusat Dialisis Taiping (Parit Buntar), HD Unit</p> <p>196. Pusat Dialisis Taiping, HD Unit</p> <p>197. Pusat Dialisis Setia, HD Unit</p> <p>198. Pusat Hemodialisis Darul Iltizam (Ipoh), HD Unit</p> <p>199. Pusat Hemodialisis Kampar Yayasan Nanyang-SJAM, HD Unit</p> <p>200. Pusat Hemodialisis Manjung, HD Unit</p> <p>201. Pusat Rawatan Dialisis Wan Nong, HD Unit</p> <p>202. Raja Permaisuri Bainun Hospital, HD Unit</p> <p>203. Raja Permaisuri Bainun Hospital, Home Unit</p> <p>204. Renal Care (Ipoh Specialist), HD Unit</p> <p>205. Selama Hospital, HD Unit</p> <p>206. Seri Manjung Hospital, HD Unit</p> <p>207. Sg Siput Hospital, HD Unit</p> <p>208. Slim River Hospital (Tanjong Malim), HD Unit</p> <p>209. Taiping Hospital, HD Unit</p> <p>210. Tapah Hospital, HD Unit</p> <p>211. Teluk Intan Hospital, HD Unit</p> <p>212. Woh Peng Cheang Seah, HD Unit</p> <p>213. Yayasan Akhlak-NKF Taiping, HD Unit</p> <p>214. Yayasan Dialysis Pendidikan Akhlak Perak-NKF Ipoh, HD Unit</p> | <p>224. Fo Yi NKF Dialysis Centre (2), HD Unit</p> <p>225. Gleneagles Medical Centre, HD Unit</p> <p>226. Island Hospital, HD Unit</p> <p>227. K K Tan Specialist (BM), HD Unit</p> <p>228. Kepala Batas Hospital, HD Unit</p> <p>229. Lam Wah Ee Hospital, HD Unit</p> <p>230. Loh Guan Lye Specialist Centre, HD Unit</p> <p>231. MAA-Medicare Charity (Butterworth), HD Unit</p> <p>232. NEPH Sdn Bhd, HD Unit</p> <p>233. Pantai Mutiara Hospital, HD Unit</p> <p>234. Penang Adventist Hospital, HD Unit</p> <p>235. Penang Caring Dialysis Society, HD Unit</p> <p>236. Persatuan Kebajikan Haemodialisis St Anne BM, HD Unit</p> <p>237. Pertubuhan Dialisis Rotary-Satu Hati, HD Unit</p> <p>238. Pertubuhan Hemodialisis SPS, HD Unit</p> <p>239. Province Wellesley Renal Medifund, HD Unit</p> <p>240. Pulau Pinang Hospital (Home), HD Unit</p> <p>241. Pulau Pinang Hospital (Paed), HD Unit</p> <p>242. Pulau Pinang Hospital, HD Unit</p> <p>243. Pusat Dialisis Ehsan Perak (Pedar), HD Unit</p> <p>244. Pusat Haemodialisis Zakat (Jawi), HD Unit</p> <p>245. Pusat Hemodialisis Zakat (Balik Pulau), HD Unit</p> <p>246. Pusat Hemodialisis Zakat (Bukit Mertajam), HD Unit</p> <p>247. Pusat Hemodialisis Zakat (Butterworth), HD Unit</p> <p>248. Pusat Hemodialisis Zakat (Kepala Batas), HD Unit</p> <p>249. Pusat Hemodialisis Zakat (P. Pinang), HD Unit</p> <p>250. PWRM (BM) Dialysis Centre, HD Unit</p> <p>251. Renal Link (Penang), HD Unit</p> <p>252. Seberang Jaya Hospital (Butterworth), HD Unit</p> <p>253. Seberang Perai (Bagan), HD Unit</p> <p>254. SJ Dialysis Centre, HD Unit</p> <p>255. Sungai Bakap Hospital, HD Unit</p> <p>256. The Penang Community HD Society, HD Unit</p> <p>257. TSC Renal Care, HD Unit</p> |
|--|--|

Perlis Indera Kayangan

215. Tuanku Fauziah Hospital, HD Unit
216. Tuanku Syed Putra_NKF Kangar Haemodialysis Centre, HD Unit

Penang

217. AMD Rotary (Penang), HD Unit
218. Asia Renal Care (Penang), HD Unit
219. Balik Pulau Hospital, HD Unit
220. Buddhist Tzu Chi Dialysis Centre (Butterworth), HD Unit
221. Buddhist Tzu Chi HD Centre (Penang), HD Unit
222. Bukit Mertajam Hospital, HD Unit
223. Fo Yi NKF Dialysis Centre (1), HD Unit

Sabah

258. Beaufort Hospital, HD Unit
259. Beluran Hospital, HD Unit
260. Duchess of Kent Hospital, HD Unit
261. Keningau Hospital, HD Unit
262. Kota Belud Hospital, HD Unit
263. Kota Kinabatangan Hospital, HD Unit
264. Kota Marudu Hospital, HD Unit
265. Kudat Hospital, HD Unit
266. Labuan Hospital, HD Unit
267. Lahad Datu Hospital, HD Unit
268. Likas Hospital (Paed), HD Unit
269. Likas Hospital, HD Unit
270. MAA-Medicare Charity (Kota Kinabalu), HD Unit
271. Nobel Dialysis Centre, HD Unit

- 272. Papar Hospital, HD Unit
- 273. Persatuan Buah Pinggang Sabah, HD Unit
- 274. Persatuan Hemodialysis Kinabalu Sabah, HD Unit
- 275. Queen Elizabeth Hospital, HD Unit
- 276. Ranau Hospital, HD Unit
- 277. Rotary Tawau Tanjung, HD Unit
- 278. Sabah Medical Centre, HD Unit
- 279. Sandakan Kidney Society, HD Unit
- 280. Semporna Hospital, HD Unit
- 281. Sipitang Hospital, HD Unit
- 282. Tambunan Hospital, HD Unit
- 283. Tawau Hospital, HD Unit
- 284. Tenom Hospital, HD Unit

Sarawak

- 285. 801 Rumah Sakit Angkatan Tentera (Kuching), HD Unit
- 286. Bau Hospital, HD Unit
- 287. Betong Hospital, HD Unit
- 288. Bintulu Hospital, HD Unit
- 289. CHKMUS-MAA Medicare Charity, HD Unit
- 290. Hospital Daerah Daro, HD Unit
- 291. Kanowit Hospital, HD Unit
- 292. Kapit Hospital, HD Unit
- 293. KAS-Rotary-NKF, HD Unit
- 294. Kuching Specialist Hospital, HD Unit
- 295. Lawas Hospital, HD Unit
- 296. Limbang Hospital, HD Unit
- 297. Lundu Hospital, HD Unit
- 298. Marudi Hospital, HD Unit
- 299. Miri Hospital, HD Unit
- 300. Miri Red Crescent Dialysis Centre, HD Unit
- 301. Mukah Hospital, HD Unit
- 302. Normah Medical Specialist Centre, HD Unit
- 303. Rejang Medical Centre, HD Unit
- 304. Renal Life Dialysis Centre, HD Unit
- 305. Saratok Hospital, HD Unit
- 306. Sarawak General Hospital, HD Unit
- 307. Sarikei Hospital, HD Unit
- 308. Serian Hospital, HD Unit
- 309. Sibu Hospital, HD Unit
- 310. Sibu Kidney Foundation, HD Unit
- 311. Simunjan Hospital, HD Unit
- 312. SJAM-KPS 10 (Bintulu), HD Unit
- 313. SJAM-KPS Haemodialysis Centre 8 (Sibu), HD Unit
- 314. Sri Aman Hospital, HD Unit
- 315. Timberland Medical Centre, HD Unit

Selangor Darul Ehsan

- 316. 819 Rumah Sakit Angkatan Tentera, HD Unit
- 317. Ampang Hospital, HD Unit
- 318. Ampang Puteri Specialist Hospital, HD Unit
- 319. Apex Club of Klang-NKF Charity Dialysis Centre, HD Unit
- 320. Assunta Hospital, HD Unit
- 321. Bakti-NKF Dialysis Centre, HD Unit
- 322. Bangi Dialysis Centre, HD Unit
- 323. Banting Hospital, HD Unit
- 324. Berjaya NKF Dialysis Centre, HD Unit
- 325. Caring Dialysis Centre Andalas (Klang), HD Unit
- 326. Damansara Specialist Hospital, HD Unit
- 327. EAM Dialysis Centre, HD Unit
- 328. Haemodialysis Association Klang, HD Unit
- 329. Haemodialysis Edina, HD Unit
- 330. Healthcare Dialysis Centre, HD Unit
- 331. Hemodialisis Yayasan Veteran ATM, HD Unit
- 332. Kajang Hospital, HD Unit
- 333. Kelana Jaya Medical Centre, HD Unit
- 334. KPJ Kajang Specialist Hospital, HD Unit
- 335. KPJ Selangor Specialis Hospital, HD Unit
- 336. Kuala Kubu Bharu Hospital, HD Unit
- 337. MAA-Medicare Charity (Kajang), HD Unit
- 338. Persatuan Dialisis Kurnia PJ, HD Unit
- 339. Persatuan Dialisis Touch, HD Unit
- 340. Pertubuhan Hemodialisis Pasar Besar Meru, HD Unit
- 341. Ping Rong-NKF, HD Unit
- 342. PNSB Dialisis Centre, HD Unit
- 343. Pusat Dialisis Aiman (Shah Alam), HD Unit
- 344. Pusat Dialisis LZS (Kapar), HD Unit
- 345. Pusat Dialisis LZS (Sg. Besar), HD Unit
- 346. Pusat Dialisis LZS (Shah Alam), HD Unit
- 347. Pusat Dialisis Pakar Medi-Nefro, HD Unit
- 348. Pusat Dialisis Putra Jaya (Kajang), HD Unit
- 349. Pusat Dialisis Sijangkang, HD Unit
- 350. Pusat Dialysis Mesra (Rahman Putra), HD Unit
- 351. Pusat Dialysis Mesra KKB, HD Unit
- 352. Pusat Dialysis Putra Jaya (Semenyih), HD Unit
- 353. Pusat Haemodialysis Nilam, HD Unit
- 354. Pusat Hemodialisis Fasa, HD Unit
- 355. Pusat Hemodialisis Kau Ong Yah Ampang, HD Unit
- 356. Pusat Hemodialisis Mawar N. Sembilan (Sepang), HD Unit
- 357. Pusat Hemodialisis Mawar N. Sembilan (Seri Kembangan), HD Unit
- 358. Pusat Perubatan Premier HUKM, HD Unit
- 359. Pusat Rawatan Dialisis Islah (Batu Caves), HD Unit
- 360. Pusat Rawatan Dialisis Mukmin, HD Unit
- 361. Pusat Rawatan Dialisis Nefro Utama (Puchong Jaya), HD Unit
- 362. Pusat Rawatan Dialisis Traktif (Selayang), HD Unit

363. Pusat Rawatan Hemodialisis Felina, HD Unit
364. Putrajaya Hospital, HD Unit
365. Rawatan Dialysis Bukit Tinggi, HD Unit
366. Renal Associates, HD Unit
367. S.P. Menon Dialysis Centre (Klang), HD Unit
368. S.P. Menon Dialysis Centre (Petaling Jaya), HD Unit
369. Selayang Hospital (Paed), HD Unit
370. Selayang Hospital, HD Unit
371. Serdang Hospital, HD Unit
372. Sime Darby Medical Centre Subang Jaya, HD Unit
373. SJAM-KPS Haemodialysis Centre 1 (Raja Muda Musa), HD Unit
374. SJAM-KPS Haemodialysis Centre 2 (Klang), HD Unit
375. SJAM-KPS Haemodialysis Centre 3 (Banting), HD Unit
376. SJAM-KPS Haemodialysis Centre 5 (Rawang), HD Unit
377. SJAM-KPS Haemodialysis Centre 6 (Kuala Selangor), HD Unit
378. SJAM-KPS Haemodialysis Centre 11 (Shah Alam), HD Unit
379. SJAM-KPS Haemodialysis Centre 12 (Balakong), HD Unit
380. SJAM-KPS Pusat Hemodialisis Tasik Puteri, HD Unit
381. Smartcare Dialysis Centre (Subang Jaya), HD Unit
382. Sri Kota Medical Centre, HD Unit
383. Sungai Buloh Hospital, HD Unit
384. Sunway Medical Centre (2), HD Unit
385. Sunway Medical Centre, HD Unit
386. Syukur Elit Sdn Bhd, HD Unit
387. Tanjung Karang Hospital, HD Unit
388. Tengku Ampuan Jemaah Hospital, HD Unit
389. Tengku Ampuan Rahimah Hospital, HD Unit
390. Universiti Kebangsaan Malaysia Bangi, HD Unit
391. Yayasan Kebajikan SSL (Petaling Jaya), HD Unit
392. Yayasan Kebajikan SSL (Puchong), HD Unit

Terengganu Darul Iman

393. Besut Hospital, HD Unit
394. Dungun Hospital, HD Unit
395. Hulu Terengganu Hospital, HD Unit
396. Jerteh Dialysis Centre
397. Kemaman Hospital, HD Unit
398. Pusat Dialisis Terengganu/NKF, HD Unit
399. Pusat Hemodialisis Nabilah, HD Unit
400. Pusat Pakar Dialisis Traktif Sdn Bhd (Besut), HD Unit
401. Pusat Rawatan Dialisis Islah (Kuala Terengganu), HD Unit
402. Sultanah Nur Zahirah Hospital, HD Unit
403. YKN Dialisis (Terengganu), HD Unit

Wilayah Persekutuan Kuala Lumpur

404. Aiman Dialysis Centre, HD Unit
405. Charis-NKF Dialysis Centre, HD Unit
406. Cheras Dialysis Centre, HD Unit
407. Kampong Baru Medical Centre, HD Unit
408. Kuala Lumpur Hospital (Home), HD Unit
409. Kuala Lumpur Hospital (Paed.), HD Unit
410. Kuala Lumpur Hospital (Unit 1), HD Unit
411. Kuala Lumpur Hospital (Unit 3), HD Unit
412. Kuala Lumpur Hospital (Unit 4), HD Unit
413. Kuala Lumpur Lions Renal Centre, HD Unit
414. MAA-Medicare Charity (Cheras), HD Unit
415. MAA-Medicare Charity (Kuala Lumpur), HD Unit
416. MDZ Haemodialysis Centre, HD Unit
417. National Kidney Foundation Dialysis Centre (KL), HD Unit
418. Pantai ARC Dialysis Services, HD Unit
419. Pantai Indah Hospital, HD Unit
420. Pantai Medical Centre (KL), HD Unit
421. Poliklinik Komuniti Tanglin, HD Unit
422. Pusat Dialisis Falah, HD Unit
423. Pusat Dialisis Pusat Punggutan Zakat (Kuala Lumpur), HD Unit
424. Pusat Hemodialisis Dato' Lee Kok Chee, HD Unit
425. Pusat Hemodialisis Harmoni, HD Unit
426. Pusat Hemodialisis KEMENTAH, HD Unit
427. Pusat Hemodialisis Mawar N. Sembilan (Seputih), HD Unit
428. Pusat Hemodialisis PUSRAWI, HD Unit
429. Pusat Hemodialisis Waz Lian, HD Unit
430. Pusat Hemodialisis Yayasan Felda, HD Unit
431. Pusat Pakar Tawakal, HD Unit
432. Pusat Perubatan Universiti Kebangsaan Malaysia, HD Unit
433. Pusat Rawatan Dialisis Nefro Utama (Setapak), HD Unit
434. Renal Dialysis Centre, HD Unit
435. Rotary Damansara-NKF Dialysis, HD Unit
436. S.P. Menon Dialysis Centre (Kuala Lumpur), HD Unit
437. Sentosa Medical Centre, HD Unit
438. Smartcare Dialysis Clinic, HD Unit
439. The Kidney Dialysis Centre (1), HD Unit
440. The Kidney Dialysis Centre (2), HD Unit
441. The Nayang-NKF Dialysis Centre, HD Unit
442. Traktif Specialist Dialysis Centre (Wangsa Maju), HD Unit
443. Tung Shin Hospital & Yayasan Nanyang Press, HD Unit
444. Tung Shin Hospital, HD Unit
445. University Malaya Medical Centre, HD Unit
446. YKN Dialisis (Kuala Lumpur), HD Unit

Participating PD centres 2008

Johor Darul Takzim

BP Renal Care (Batu Pahat), CAPD Unit
BP Renal Care (Segamat), CAPD Unit
Sultan Ismail Hospital (Paed), CAPD Unit
Sultanah Aminah Hospital, CAPD Unit

Kedah Darul Aman

Sultanah Bahiyah Hospital, CAPD Unit

Kelantan Darul Naim

Raja Perempuan Zainab II Hospital, CAPD Unit
Universiti Sains Malaysia Hospital, CAPD Unit

Melaka

Damai Medical & Heart Clinic, CAPD Unit
Melaka Hospital, CAPD Unit

Negeri Sembilan Darul Khusus

Tuanku Jaafar Hospital (Paed), CAPD Unit
Tuanku Jaafar Hospital, CAPD Unit

Pahang Darul Makmur

Tengku Ampuan Afzan Hospital (Paed), CAPD Unit
Tengku Ampuan Afzan Hospital, CAPD Unit

Perak Darul Ridzuan

96 Hospital Angkatan Tentera (Lumut), CAPD Unit
Ipoh Hospital, CAPD Unit

Penang

Pulau Pinang Hospital (Paed), CAPD Unit
Pulau Pinang Hospital, CAPD Unit

Sabah

Likas Hospital (Paed), CAPD Unit
Queen Elizabeth Hospital, CAPD Unit
Sabah Medical Centre, CAPD Unit

Sarawak

Kuching Specialist Hospital, CAPD Unit
Sarawak General Hospital, CAPD Unit

Selangor Darul Ehsan

Selayang Hospital (Paed), CAPD Unit
Selayang Hospital, CAPD Unit
Serdang Hospital, CAPD Unit
Sri Kota Medical Centre, CAPD Unit
Tengku Ampuan Rahimah Hospital, CAPD Unit

Terengganu Darul Iman

Sultanah Nur Zahirah Hospital, CAPD Unit

Wilayah Persekutuan Kuala Lumpur

Kuala Lumpur Hospital (Paed.), CAPD Unit
Kuala Lumpur Hospital, CAPD Unit
Pusat Perubatan Universiti Kebangsaan Malaysia, CAPD Unit
University Malaya Medical Centre, CAPD Unit

Participating Transplant follow-up Centres 2008

Johor Darul Takzim

Batu Pahat Hospital
Hospital Sultan Ismail Pandan
Kluang Hospital
Pakar Sultanah Fatimah Muar Hospital
Pontian Hospital
Segamat Hospital
Sultanah Aminah Hospital

Kedah Darul Aman

Hospital Sultanah Bahiyah

Kelantan Darul Naim

Hospital Raja Perempuan Zainab II
Universiti Sains Malaysia Hospital

Negeri Melaka

Melaka Hospital
Wee Kidney & Medical Specialist Clinic
(Mahkota Medical Centre)

Negeri Sembilan Darul Khusus

Hospital Tuanku Ja'afar Seremban

Pahang Darul Makmur

Tg. Ampuan Afzan Hospital

Perak Darul Ridzuan

Hospital Raja Permaisuri Bainun
Taiping Hospital

Penang

Pulau Pinang Hospital

Sabah

Duchess of Kent Hospital
Queen Elizabeth Hospital
Sabah Medical Centre
Tawau Hospital

Sarawak

Bintulu Hospital Tx Unit
Miri Hospital
Sarawak General Hospital
Sibu Hospital
Timberland Medical Centre

Selangor Darul Ehsan

Ampang Puteri Specialist Hospital
Selayang Hospital
Serdang Hospital
Sri Kota Medical Centre
Sunway Medical Centre
Tan Medical Renal Clinic
Tg. Ampuan Rahimah Hospital

Terengganu Darul Iman

Hospital Sultanah Nur Zahirah
Kemaman Hospital

Wilayah Persekutuan Kuala Lumpur

Fan Medical Renal Clinic
Kuala Lumpur Hospital
Pusat Perubatan UKM
Smartcare Dialysis Centre (Cheras)
University Malaya Medical Centre

CONTRIBUTING EDITORS

Chapter	Title	Editors	Institutions
1	Renal Replacement Therapy in Malaysia	Lim Yam Ngo Lim Teck Onn Lee Day Guat	Kuala Lumpur Hospital Clinical Research Centre, HKL Kuala Lumpur Hospital
2	Dialysis in Malaysia	Lim Yam Ngo Lim Teck Onn Lee Day Guat	Kuala Lumpur Hospital Clinical Research Centre, HKL Kuala Lumpur Hospital
3	Economics of Dialysis	Lim Teck Onn Adrian Goh	Clinical Research Centre, HKL ClinicResearch Sdn. Bhd.
4	Death & Survival on Dialysis	Wong Hin Seng Ong Loke Meng Wan Shaariah Md Yusuf	Selayang Hospital Pulau Pinang Hospital Tuanku Jaafar Hospital, Seremban
5	QoL and Work Rehabilitation on Dialysis	Liu Wen Jiun Chew Thian Fook Alinda Chiu Sze Fung Zaki Morad b Mohd Zaher	Sultanah Aminah Hospital, Johor Tuanku Jaafar Hospital, Seremban University Putra Malaysia Ampang Puteri Specialist Hospital
6	Paediatric Renal Replacement Therapy	Lee Ming Lee Lynster Liaw Susan Pee Wan Jazilah Wan Ismail Lim Yam Ngo	Tuanku Jaafar Hospital, Seremban Pulau Pinang Hospital Sultan Ismail Hospital, Johor Selayang Hospital Kuala Lumpur Hospital
7	Treatment of Anaemia in Dialysis Patients	Philip N. Jeremiah Bee Boon Cheak	Ampang Puteri Specialist Hospital Selayang Hospital
8	Nutritional Status on Dialysis	Winnie Chee Siew Swee Tilakavati Karupaiah Ahmad Fauzi Abdul Rahman	International Medical University Faculty of Allied Health Sciences University Kebangsaan Malaysia Puteri Specialist Hospital
9	Blood Pressure Control and Dyslipidemia	Prasad Menon Lee Wan Tin	Sime Darby Medical Centre, Subang Jaya Sime Darby Medical Centre, Subang Jaya
10	Renal Bone Disease	Rozina Bt Ghazalli Fan Kin Sing Ching Chen Hua Liew Yew Fong	Pulau Pinang Hospital Gleneagle Intan Medical Centre Sultanah Bahiyah Hospital, Alor Setar Pulau Pinang Hospital
11	Hepatitis on Dialysis	Teo Sue Mei Claire Tan Hui Hong Foo Sui Mei	Raja Permaisuri Bainun Hospital, Ipoh Sarawak Hospital Raja Permaisuri Bainun Hospital, Ipoh
12	Haemodialysis Practices	Tan Chwee Choon Shahnaz Shah Firdaus Khan Rafidah Abdullah Norleen Bt Zulkarnain Sim	Tengku Ampuan Rahimah Hospital, Klang Tengku Ampuan Rahimah Hospital, Klang Selayang Hospital Tengku Ampuan Rahimah Hospital, Klang
13	Chronic Peritoneal Dialysis Practices	Sunita Bavanandan Lily Mushahar	Kuala Lumpur Hospital Kuala Lumpur Hospital
14	Renal Transplantation	Goh Bak Leong Zaki Morad b Mohd Zaher Fan Kin Sing Lily Mushahar Rohan Malek S. Prasad Menon Tan Si Yen	Serdang Hospital Ampang Puteri Specialist Hospital Gleneagle Intan Medical Centre Kuala Lumpur Hospital Selayang Hospital Sime Darby Medical Centre, Subang Jaya University Malaya Medical Centre

FOREWORD

Prevalent dialysis patients are now close to 19,000 giving a rate of nearly 700 per million population (pmp), an increase from 626 pmp at the end of 2007. A few years ago we predicted that the prevalent dialysis patients will reach 20,000 by the year 2010. The continued impressive increase in the number of new patients accepted for dialysis coupled with a stable annual mortality rate of about 10% means that this number will be reached earlier than 2010. The “high performing states” continued to do well in 2008 with acceptance rates greater than 200 pmp. Almost all states showed an improvement in acceptance rates but some can and should do better to improve equity in dialysis provision.

Renal transplantation rate continued to be dismal and unchanged in the last many years. The Ministry of Health had initiated many new measures since 2007 but they do not seem to make an impact. A National Organ Transplantation Policy was enunciated, the organizational structure for transplantation services was strengthened and more money was allocated for the service but yet organ transplantation (and not just renal transplantation) did not increase. The ubiquitous dialysis centres (from “shop-lots centres” to hospital-based facilities) could possibly be blamed for the lack of interest in kidney transplantation but heart and liver transplantation fared worse. The apathy amongst the public needs to be studied.

The Registry has been collecting data on funding for many years now. The data shows that the government is still the major sponsor of dialysis funding. In fact the Registry presently can only collect data on direct funding of dialysis treatment – either full subsidy as in Ministry of Health dialysis centres or partial subsidy in the NGO centre. There is however a substantial indirect subsidy by the government for which no data is available. This include evaluation of patients in the immediate pre-dialysis period (most of these patients eventually were dialysed in NGO or private centres), continued provision of medications and performance of regular blood tests even when they are on Dialysis at non- government centre, creation of vascular access and admission for dialysis related complications. The involvement of government agencies in dialysis funding is only expected as most patients cannot afford the total costs of dialysis care. There should perhaps be a clearer structure on government involvement and contribution so that the true costs of dialysis can be seen. The NRR can certainly facilitate an initiative to study the contributions of government agencies to funding of dialysis. The results of such a study may help the formulation of clearer policies on funding and monitoring of such funding.

As in the previous ones, this report also looks at quality measures and variation in practices and outcomes. There have been no substantial changes in the quality measures. There still is variation in practices which impact on outcomes. It is only through continuing education and training that such variations can be reduced. And the Registry hopes that professional bodies such as the Malaysian Society of Nephrology and the Association of Dialysis Medical Assistants and Nurses will intensify their training programs

The National Renal Registry is taking on additional responsibilities. It has initiated a number of new renal-based registries. The Malaysian Registry of Renal Biopsies has produced its first report. Two other registries are in the planning stages: the Registry of Interventional Nephrology and the Registry of Diabetic nephropathy. This additional workload has placed considerable stress on the facilities and staff of NRR. The staff under the able leadership of Lee Day Guat has coped admirably well and the Advisory committee of NRR expresses it thanks and appreciation to them. We are also indebted to the two editors Dr Lim Teck Onn and Dr Lim Yam Ngo for once again producing an excellent report.

Dr Zaki Morad
Chairman
National Renal Registry

CONTENTS

Acknowledgement	iii
NRR Advisory Board Members	iv
MDTR Steering Committee	iv
About the National Renal Registry	v
About The Malaysian Dialysis and Transplant Registry (MDTR)	vii
Participating Haemodialysis Centres	x
Participating Chronic Peritoneal Dialysis Centres	xv
Participating Transplant Follow-up Centres	xvi
Contributing Editors	xvii
Foreword	xviii
Contents	xix
List of Tables	xxii
List of Figures	xxx
Report Summary	xxxviii
Abbreviations	xlii
CHAPTER 1: ALL RENAL REPLACEMENT THERAPY IN MALAYSIA	1
Section 1.1: Stock and Flow	2
Section 1.2: Treatment Provision Rate	3
CHAPTER 2: DIALYSIS IN MALAYSIA	4
Section 2.1: Provision of Dialysis in Malaysia (registry report)	5
2.1.1 Dialysis treatment provision	5
2.1.2 Geographic distribution	5
Section 2.2: Dialysis provision in Malaysia (Centre survey report)	6
2.2.2 Geographic distribution (Centre survey)	8
2.2.3: Growth in dialysis provision by sector	10
Section 2.3: Distribution of Dialysis Treatment	11
2.3.1 Gender distribution	11
2.3.2 Age distribution	12
2.3.3 Method and Location of dialysis	14
2.3.4 Funding for Dialysis Treatment	15
2.3.5 Distribution of dialysis patients by sector	16
Section 2.4: Primary Renal Disease	17
CHAPTER 3: ECONOMICS OF DIALYSIS	18
Introduction	19
Dialysis and income	20
Resource Generation	21
Dialysis prices and affordability	23
Dialysis access and equality	25

CHAPTER 4:	DEATH AND SURVIVAL ON DIALYSIS	27
Section 4.1:	Death on Dialysis	28
Section 4.2:	Patient Survival on Dialysis	30
4.2.1	Patient survival by type of dialysis modality	30
4.2.2	Patient survival by year of starting dialysis	32
4.2.3	Patient survival by Age at starting dialysis	33
4.2.4.	Patient survival by Diabetic status	34
Section 4.3:	Survival of incident dialysis patients by centre	35
4.3.1	Survival of incident haemodialysis patients by centre	35
4.3.2	Survival of incident CAPD patients 2000 - 2007 by centre	36
Section 4.4	Adjusted Mortality of dialysis patient	37
4.4.1	Adjusted hazard ratio for mortality of dialysis patients	37
4.4.2	Variation in odds ratio of death by state 2007	44
4.4.3	Variation in odds ratio of death by dialysis centre	45
CHAPTER 5:	QUALITY OF LIFE AND REHABILITATION OUTCOMES OF DIALYSIS PATIENTS IN MALAYSIA	46
Section A:	QoL Index score	47
Section B:	Work related rehabilitation	50
CHAPTER 6:	PAEDIATRIC RENAL REPLACEMENT THERAPY	51
Section A:	RRT provision for paediatric patients	52
Section B:	Distribution of paediatric dialysis patients	54
Section C:	Primary renal disease	56
Section D:	Types of Renal Transplantation	56
Section E:	Survival analysis	57
CHAPTER 7:	MANAGEMENT OF ANAEMIA IN DIALYSIS PATIENTS	59
Section 7.1:	Treatment for Anemia in Dialysis	60
Section 7.2:	Iron status on Dialysis	64
Section 7.3:	Haemoglobin outcomes on Dialysis	72
CHAPTER 8:	NUTRITIONAL STATUS ON DIALYSIS	78
Section 8.1:	Serum Albumin levels on Dialysis	79
Section 8.2:	Body Mass Index (BMI) on Dialysis	83
CHAPTER 9:	BLOOD PRESSURE CONTROL AND DYSLIPIDAEMIA IN PATIENTS ON DIALYSIS	89
Section 9.1:	Blood Pressure Control on dialysis	90
Section 9.2:	Dyslipidaemia in dialysis patients	96

CHAPTER 10:	MANAGEMENT OF RENAL BONE DISEASE IN PATIENTS ON DIALYSIS	103
Section 10.1:	Treatment of renal bone disease	104
Section 10.2:	Serum calcium and phosphate control	105
Section 10.3:	Serum Parathyroid Hormone control	114
CHAPTER 11:	HEPATITIS ON DIALYSIS	120
CHAPTER 12:	HAEMODIALYSIS PRACTICES	126
Section 12.1:	Vascular access and its complications	127
Section 12.2:	HD prescription	129
Section 12.3:	Technique survival on dialysis	141
CHAPTER 13:	CHRONIC PERITONEAL DIALYSIS PRACTICES	145
Section 13.1:	PD Practices	146
13.1.1	Mode of PD	146
Section 13. 2:	Achieved solute clearance and peritoneal transport	147
Section 13.3:	Technique survival on PD	149
Section 13.4:	Patient Survival on PD	156
Section 13.5:	Peritonitis	159
CHAPTER 14:	RENAL TRANSPLANTATION	162
Section 14.1:	Stock and Flow	163
Section 14.2:	Recipient Characteristic	166
Section 14.3:	Transplant Practices	167
Section 14.4:	Transplant Outcomes	170
14.4.1	Post transplant complication	170
14.4.2	Deaths and graft loss	170
Section 14.5:	Patient and Graft Survival	173
Section 14.6:	Cardiovascular risk in renal transplant recipients	177
14.6.1	Risk factors for ischaemic heart disease	177
14.6.2	Blood Pressure classification according to JNC VI criteria, 2006, 2007 and 2008	178
Section 14.7:	QoL Index Score in Renal Transplant Recipients	183
APPENDIX I	DATA MANAGEMENT	I-IV
APPENDIX II	ANALYSIS SETS, STATISTICAL METHODS AND DEFINITIONS	V-IX

LIST OF TABLES

Table 1.1	Stock and Flow of RRT, Malaysia 1999-2008	2
Table 1.2	New Dialysis Acceptance Rate and New Transplant Rate per million population 1999-2008	3
Table 1.3	RRT Prevalence Rate per million population 1999-2008	3
Table 2.1.1	Stock and flow – Dialysis patients 1999-2008	5
Table 2.1.2	Dialysis Treatment Rate per million population 1999-2008	5
Table 2.1.3	Dialysis Treatment Rate by State, per million state population 1999-2008	5
Table 2.2.1	Number of dialysis centres, HD machines and treatment capacity by sector, December 2008	6
Table 2.2.2	Number of dialysis centres, number of HD machines and treatment capacity, HD capacity to patient ratio and number of dialysis patients by state in December 2008	8
Table 2.2.3	Growth in HD capacity and HD patients in Private, NGO and MOH sectors, 1999-2008	10
Table 2.3.1(a)	Dialysis Treatment Rate by Gender, per million male or female population 1999-2008	11
Table 2.3.1(b)	Gender distribution of Dialysis Patients 1999-2008	11
Table 2.3.2(a)	Dialysis Treatment Rate by Age Group, per million age group population 1999-2008	12
Table 2.3.2(b)	Percentage Age Distribution of Dialysis Patients 1999-2008	13
Table 2.3.3	Method and Location of Dialysis 1999-2008	14
Table 2.3.4	Funding for Dialysis Treatment 1999-2008	15
Table 2.3.5	Distribution of Dialysis Patients by Sector 1999-2008	16
Table 2.4.1	Primary Renal Disease for New Dialysis Patients 1999-2008	17
Table 3.1	Trends in Malaysian GDP, population health and dialysis provision, 1980-2005	19
Table 3.2	Prevalence of renal replacement therapy (RRT), dialysis and renal transplant among various regions in the world and by Countries' per capita Gross National Income (GNI) according to World Bank classification	19
Table 3.3	Trends in dialysis funding and provider mix	20
Table 3.4	Trends in resource generation for dialysis treatment 1990-2005	21
Table 3.5	Trends in dialysis market prices	23
Table 3.6	International comparison of dialysis cost efficiency, 2005	24
Table 3.7	Dialysis financing equity, 2005	24
Table 3.8	Geographic distribution of dialysis Treatment in Malaysia, 1990-2005	25
Table 3.9	Trends in dialysis geographic equity as measured by concentration indices	26
Table 4.1.1	Deaths on Dialysis 1999-2008	28
Table 4.1.2	Causes of Death on Dialysis 1999-2008	29
Table 4.2.1(a)	Patient survival by dialysis modality (censored for change of modality)	30
Table 4.2.1(b)	Patient survival by dialysis modality (not censored for change of modality)	31
Table 4.2.2	Unadjusted patient survival by year of entry, 1999-2008	32
Table 4.2.3	Unadjusted patient survival by age, 1999-2008	33

LIST OF TABLES (CONT...)

Table 4.2.4	Unadjusted patient survival by Diabetic status, 1999-2008	34
Table 4.4.1(a)	Adjusted hazard ratio for mortality of all dialysis patients, 1999 -2008	37
Table 4.4.1(b)	Adjusted hazard ratio for mortality of HD patients (1999 -2008 cohort)	40
Table 4.4.1(c)	Adjusted hazard ratio for mortality of PD patients (1999 -2008 cohort)	42
Table 4.4.2	Variation in odds ratio of death by centre state, 2007	44
Table 4.4.3	Variation in odds ratio of death by centre, 1998-2007	45
Table 5.1	Cumulative distribution of QoL-Index score in relation to dialysis modality, All Dialysis patients 1999-2008	47
Table 5.2	Cumulative distribution of QoL-Index score in relation to Diabetes mellitus, All Dialysis patients 1999-2008	47
Table 5.3	Cumulative distribution of QoL-Index score in relation to Gender, All Dialysis patients 1999-2008	48
Table 5.4	Cumulative distribution of QoL-Index score in relation to Age, All Dialysis patients 1999-2008	48
Table 5.5	Cumulative distribution of QoL-Index score in relation to Year of entry, HD patients 1999-2008	49
Table 5.6	Cumulative distribution of QoL-Index score in relation to Year of entry, PD patients 1999-2008	49
Table 5.7	Work related rehabilitation in relation to Modality, Dialysis patients 1999-2008	50
Table 5.8	Work related rehabilitation in relation to Year of Entry, HD patients 1999-2008	50
Table 5.9	Work related rehabilitation in relation to Year of Entry, PD patients 1999-2008	50
Table 6.1	Stock and Flow, Paediatric Renal Replacement Therapy 1999-2008	52
Table 6.2	Paediatric Dialysis and Transplant Rates per million age-group population 1999-2008	53
Table 6.3(a)	Dialysis Treatment Rate by State, per million state age group population 1999-2008	54
Table 6.3(b)	New Dialysis Patients by state 1999-2008	54
Table 6.4	Number of New Dialysis and Transplant Patients by Gender 1999-2008	54
Table 6.6	New Dialysis by treatment by dialysis modality 1999-2008	55
Table 6.8	Primary Renal Disease by sex, 1999-2008	56
Table 6.9	Types of renal transplantation, 1999-2008	56
Table 6.10(a)	Patient survival by dialysis modality analysis (not censored with change of modality)	57
Table 6.10(b)	Patient survival by dialysis modality analysis (censored with change of modality)	57
Table 6.11	Dialysis technique survival by modality, 1999-2008	58
Table 6.12	Transplant Graft survival, 1999-2008	58
Table 7.1.1	Treatment for Anemia, HD patients 1999-2008	60
Table 7.1.2	Treatment for Anemia, PD patients 1999-2008	60
Table 7.1.3	Variation in Erythropoietin utilization (% patients) among HD centres, 2008	61
Table 7.1.4	Variation in Erythropoietin utilization (% patients) among PD centres, 2008	61
Table 7.1.5	Variation in median weekly Erythropoietin dose (u/week) among HD centres 2008	62

LIST OF TABLES (CONT...)

Table 7.1.6	Variation in median weekly Erythropoietin dose (u/week) among PD centres 2008	62
Table 7.1.7	Variation in use of blood transfusion (% patients) among HD centres, 2008	63
Table 7.1.8	Variation in use of blood transfusion (% patients) among PD centres, 2008	63
Table 7.2.1	Distribution of Serum Ferritin without Erythropoietin, HD patients 1999-2008	64
Table 7.2.2	Distribution of Serum Ferritin without Erythropoietin, PD patients 1999-2008	64
Table 7.2.3	Distribution of Serum Ferritin on Erythropoietin, HD patients 1999-2008	65
Table 7.2.4	Distribution of Serum Ferritin on Erythropoietin, PD patients 1999-2008	65
Table 7.2.5	Distribution of transferrin saturation without Erythropoietin, D patients 1999-2008	66
Table 7.2.6	Distribution of transferrin saturation without Erythropoietin, PD patients 1999-2008	66
Table 7.2.7	Distribution of transferrin saturation on Erythropoietin, HD patients 1999-2008	67
Table 7.2.8	Distribution of transferrin saturation on Erythropoietin, PD patients 1999-2008	67
Table 7.2.9	Variation in iron status outcomes among HD centres 2008	68
(a)	Median serum ferritin among patients on erythropoietin	68
(b)	Proportion of patients on erythropoietin with serum Ferritin ≥ 100 ng/ml, HD centres	68
(c)	Median transferrin saturation among patients on erythropoietin HD centres, 2008	69
(d)	Proportion of patients on erythropoietin with transferrin saturation $\geq 20\%$, HD centres	69
Table 7.2.10:	Variation in Iron status outcome among PD centres 2008	70
(a)	Median serum Ferritin among patients on erythropoietin	70
(b)	Proportion of patients on erythropoietin with serum Ferritin ≥ 100 ng/ml, PD centres	70
(c)	Median transferrin saturation among patients on erythropoietin, PD centres	71
(d)	Proportion of patients on erythropoietin with transferrin saturation $\geq 20\%$, PD centres	71
Table 7.3.1	Distribution of Haemoglobin Concentration without Erythropoietin, HD patients 1999-2008	72
Table 7.3.2	Distribution of Haemoglobin Concentration without Erythropoietin, PD patients 1999-2008	72
Table 7.3.3	Distribution of Haemoglobin Concentration on Erythropoietin, HD patients 1999-2008	73
Table 7.3.4	Distribution of Haemoglobin Concentration on Erythropoietin, PD patients 1999-2008	73
Table 7.3.5	Variation in Haemoglobin outcomes among HD centres 2008	74
(a)	Median haemoglobin level among patients on Erythropoietin	74
(b)	Proportion of patients on erythropoietin with haemoglobin level > 10 g/dL, HD centres	74
(c)	Proportion of patients on erythropoietin with haemoglobin level > 11 g/dL, HD centres	75

LIST OF TABLES (CONT...)

Table 7.3.6:	Variation in Haemoglobin outcomes among PD centres 2008	76
(a)	Median haemoglobin level among patients on erythropoietin	76
(b)	Proportion of patients on erythropoietin with haemoglobin Level >10 g/dL, PD centres	76
(c)	Proportion of patients on erythropoietin with haemoglobin level >11 g/dL, PD centres	77
Table 8.1.1	Distribution of serum Albumin , HD patients 1999-2008	79
Table 8.1.2	Distribution of serum Albumin, PD patients 1999-2008	80
Table 8.1.3	Variation in Proportion of patients with serum albumin \geq 40 g/L among HD centres 2008	81
Table 8.1.4	Variation in Proportion of patients with serum albumin \geq 35 g/L among PD centres 2008	82
Table 8.2.1	Distribution of BMI, HD patients 1999-2008	83
Table 8.2.2	Distribution BMI, PD patients 1999-2008	84
Table 8.2.3	Variation in Proportion of patients with BMI \geq 18.5 among HD centres 2008	85
Table 8.2.4	Variation in Proportion of patients with BMI \geq 18.5 among PD centres 2008	86
Table 8.2.5	Variation in Propostion of patients with BMI \geq 18.5 and serum albumin \geq 40 g/dL among HD centres 2008	87
Table 8.2.6	Variation in Propostion of patients with BMI \geq 18.5 and serum albumin \geq 35 g/dL among PD centres 2008	88
Table 9.1.1	Distribution of Pre dialysis Systolic Blood Pressure, HD patients 1999-2008	90
Table 9.1.2	Distribution of Pre dialysis Systolic Blood Pressure, PD patients 1999-2008	90
Table 9.1.3	Distribution of Pre dialysis Diastolic Blood Pressure, HD patients 1999-2008	91
Table 9.1.4	Distribution of Pre dialysis Diastolic Blood Pressure, PD patients 1999-2008	91
Table 9.1.5	Variation in BP control among HD centres 2008	92
(a)	Median Systolic blood pressure among HD patients, HD centres	92
(b)	Median Diastolic blood pressure among HD patients, HD centres	92
(c)	Proportion of HD patients with Pre dialysis Blood Pressure <140/90 mmHg, HD centres	93
Table 9.1.6	Variation in BP control among PD centres 2008	94
(a)	Median Systolic blood pressure among PD patients	94
(b)	Median Diastolic blood pressure among PD patients	94
(c)	Proportion of PD patients with Pre dialysis Blood Pressure <140/90 mmHg	95
Table 9.2.1	Distribution of serum Cholesterol , HD patients 1999-2008	96
Table 9.2.2	Distribution of serum Cholesterol , PD patients 1999-2008	97
Table 9.2.3	Distribution of serum Triglyceride , HD patients 1999-2008	98
Table 9.2.4	Distribution of serum Triglyceride , PD patients 1999-2008	98
Table 9.2.5	Variation in dyslipidaemias among HD centres 2008	99
(a)	Median serum cholesterol level among HD patients	99
(b)	Proportion of patients with serum cholesterol < 5.3 mmol/L, HD centres 2008	99
(c)	Median serum triglyceride level among HD patients	100
(d)	Proportion of patients with serum triglyceride < 2.1 mmol/L, HD centres 2008	100

LIST OF TABLES (CONT...)

Table 9.2.6	Variation in dyslipidaemias among PD centres 2008	101
(a)	Median serum cholesterol level among PD patients	101
(b)	Proportion of patients with serum cholesterol < 5.3 mmol/L, PD centres 2008	101
(c)	Median serum triglyceride level among PD patients	102
(d)	Proportion of patients with serum triglyceride < 2.1 mmol/L, PD centres 2008	102
Table 10.1.1	Treatment of renal bone disease, HD patients 1999-2008	104
Table 10.1.2	Treatment of renal bone disease, PD patients 1999-2008	104
Table 10.2.1	Distribution of corrected serum calcium, HD patients 1999-2008	105
Table 10.2.2	Distribution of corrected serum calcium, PD patients 1999-2008	105
Table 10.2.3	Distribution of Serum Phosphate, HD patients, 1999-2008	106
Table 10.2.4	Distribution of Serum Phosphate, PD patients 1999-2008	106
Table 10.2.5	Distribution of corrected calcium x phosphate product, HD patients 1999-2008	107
Table 10.2.6	Distribution of corrected calcium x phosphate product, PD patients 1999-2008	107
Table 10.2.7	Variation in corrected serum calcium levels among HD centres 2008	108
(a)	Median serum calcium level among HD patients	108
(b)	Proportion of patients with serum calcium 2.1 to 2.37 mmol/L	109
Table 10.2.8:	Variation in corrected serum calcium levels among PD centres 2008	108
(a)	Median serum calcium level among PD patients	108
(b)	Proportion of patients with serum calcium 2.1 to 2.37 mmol/L	109
Table 10.2.9:	Variation in serum phosphate levels among HD centres 2008	110
(a)	Median serum phosphate level among HD patients	110
(b)	Proportion of patients with serum phosphate 1.13 to 1.78 mmol/L	110
Table 10.2.10:	Variation in serum phosphate levels among PD centres 2008	111
(a)	Median serum phosphate level among PD patients	111
(b)	Proportion of patients with serum phosphate 1.13 to 1.78 mmol/L	111
Table 10.2.11:	Variation in corrected calcium x phosphate product among HD centres 2008	112
(a)	Median corrected calcium x phosphate product among HD patients	112
(b)	Proportion of patients with corrected calcium x phosphate product 4.5 mmol ² /L ² , HD centres	113
Table 10.2.12:	Variation in corrected calcium x phosphate product among PD centres 2008	112
(a)	Median corrected calcium x phosphate product among PD patients	112
(b)	Proportion of patients with corrected calcium x phosphate product < 4.5 mmol ² /L ² , PD centres	113
Table 10.3.1(a)	Distribution of iPTH, HD patients 2008	114
Table 10.3.1(b)	Distribution of iPTH, diabetic HD patients 1999-2008	114
Table 10.3.1(c)	Distribution of iPTH, non diabetic HD patients 1999-2008	115
Table 10.3.2(a)	Distribution of iPTH, PD patients 2008	115
Table 10.3.2(b)	Distribution of iPTH, diabetic PD patients 1999-2008	116
Table 10.3.2(c)	Distribution of iPTH, non diabetic PD patients 1999-2008	116
Table 10.3.3	Variation in iPTH among HD centres 2008	117
(a)	Median iPTH among HD patients	117
(b)	Proportion of patients with iPTH 150-300 ng/ml, HD centres 2008	117

LIST OF TABLES (CONT...)

Table 10.3.4	Variation in iPTH among PD centres 2008	118
(a)	Median iPTH among PD patients	118
(b)	Proportion of patients with iPTH 150-300 ng/ml, PD centres 2008	118
Table 11.1	Prevalence of positive HBsAg and positive Anti-HCV at annual survey, HD patients 1999-2008	121
Table 11.2	Prevalence of positive HBsAg and positive Anti-HCV at annual survey, PD patients 1999-2008	121
Table 11.3	Variation in Proportion of patients with positive HBsAg at annual survey among HD centres, 2008	121
Table 11.4	Variation in Proportion of patients with positive HBsAg at annual survey among PD centre, 2008	122
Table 11.5	Variation in Proportion of patients with positive anti-HCV at annual survey among HD centres, 2008	122
Table 11.6	Variation in Proportion of patients with positive anti-HCV among PD centres 2008	123
Table 11.7(a)	Risk factors in relation to HD practices for seroconversion to anti-HCV positive among sero-negative patients	124
Table 11.7(b)	Risk factors for seroconversion to anti-HCV positive among sero-negative patients in PD	125
Table 12.1.1	Vascular Access on Haemodialysis, 1999-2008	127
Table 12.1.2	Difficulties reported with Vascular Access, 1999-2008	127
Table 12.1.3	Complications reported with Vascular Access, 1999-2008	128
Table 12.2.1	Blood Flow Rates in HD centres, 1999-2008	129
Table 12.2.2	Number of HD Sessions per week, 1999-2008	130
Table 12.2.3	Duration of HD, 1999-2008	130
Table 12.2.4	Dialyser membrane types in HD centres, 1999-2008	131
Table 12.2.5	Dialyser Reuse Frequency in HD centres, 1999-2008	132
Table 12.2.6	Dialysate Buffer used in HD centres, 1999-2008	132
Table 12.2.7(a)	Distribution of prescribed Kt/V, HD patients 1999-2008	133
Table 12.2.7(b)	Distribution of delivered Kt/V, HD patients 2005-2008	134
Table 12.2.7(c)	Distribution of delivered URR, HD patients 2005-2008	134
Table 12.2.8	Variation in HD prescription among HD centres 2008	135
(a)	Median blood flow rates among HD patients, HD centres 2008	135
(b)	Proportion of patients with blood flow rates > 250 ml/min, HD centres 2008	135
(c)	Variation in Median 3 HD sessions per week, HD centres 2008	136
(d)	Variation in median prescribed Kt/V in HD patients among HD centres 2008	137
(e)	Proportion of patients with prescribed Kt/V ≥ 1.3	138
(f)	Median delivered Kt/V in HD patients, HD centres	139
(g)	Proportion of patients with delivered Kt/V ≥ 1.2	139
(h)	Median URR among HD patients, HD centres	140
(i)	Proportion of HD patients with URR $\geq 65\%$, HD centres	140

LIST OF TABLES (CONT...)

Table 12.3.1	Unadjusted technique survival by Dialysis modality, 1999-2008	141
Table 12.3.2	Unadjusted technique survival by year of entry, 1999-2008	142
Table 12.3.3	Unadjusted technique survival by age, 1999-2008	143
Table 12.3.4	Unadjusted technique survival by Diabetic status, 1999-2008	144
Table 13.1.1	Chronic Peritoneal Dialysis Regimes, 1999-2008	146
Table 13.1.2	CAPD Connectology, 1999-2008	146
Table 13.1.3	PD Number of Exchanges per day, 1999-2008	146
Table 13.1.4	PD Volume per Exchange, 1999-2008	147
Table 13.2.1	Distribution of delivered Kt/V, PD patients 2003-2008	147
Table 13.2.2	Variation in Proportion of patients with Kt/V \geq 1.7 per week among CAPD centres 2008	148
Table 13.2.3	Peritoneal transport status by PET D/P creatinine at 4 hours, New PD patients 2003-2008	148
Table 13.2.4	Peritoneal transport status by PET D/P creatinine at 4 hours, prevalent PD patients 2003-2008	148
Table 13.2.5	Association between peritoneal membrane characteristic and co-morbidity, 2003 – 2008	148
Table 13.3.1	Unadjusted technique survival by dialysis modality, 1999-2008	149
Table 13.3.2	Unadjusted technique survival by year of entry, 1999-2008	150
Table 13.3.3	Unadjusted technique survival by age, 1999-2008	151
Table 13.3.4	Unadjusted technique survival by gender 1999-2008	152
Table 13.3.5	Unadjusted technique survival by diabetic status, 1999-2008	152
Table 13.3.6	Unadjusted technique survival by Kt/V 1999-2008	153
Table 13.3.7	Adjusted hazard ratio for technique survival, 1999-2008	154
Table 13.3.8	Reasons for change of dialysis modality to HD, 1999-2008	155
Table 13.4.1	Patient survival by dialysis modality (not censored for change of modality)	156
Table 13.4.2	Adjusted Hazard Ratio for patient mortality	157
Table 13.5.1	Variation in peritonitis rate (pt-month/epi) among PD centres, 2000-2008	159
Table 13.5.2	Causative organism in PD peritonitis, 2000-2008	160
Table 13.5.3	Outcome of peritonitis by Causative organism, 2000-2008	161
Table 13.5.4	Adjusted Risk factors influencing peritonitis rate, 2000-2008	161
Table 14.1.1	Stock and Flow of Renal Transplantation, 1975-2008	163
Table 14.1.2	New transplant rate per million population (pmp), 1999-2008	164
Table 14.1.3	Transplant prevalence rate per million population (pmp), 1999-2008	164
Table 14.1.4	Place of transplantation, 1999-2008	165
Table 14.2.1	Renal Transplant Recipients' Characteristics, 1999-2008	166
Table 14.2.2	Primary causes of end stage renal failure, 1999-2008	166
Table 14.3.1	Type of Renal Transplantation, 1999-2008	167

LIST OF TABLES (CONT...)

Table 14.3.2	Biochemical data, 2006-2008	167
Table 14.3.3	Medication data, 2006-2008	169
Table 14.4.1	Post transplant complications, 2006-2008	170
Table 14.4.2	Transplant Patients Death Rate and Graft Loss, 1999-2008	170
Table 14.4.3	Causes of Death in Transplant Recipients, 1999-2008	172
Table 14.4.4	Causes of Graft Failure, 1999-2008	172
Table 14.5.1	Patient survival, 1995-2008	173
Table 14.5.2	Graft survival, 1995-2008	173
Table 14.5.3	Patient survival by type of transplant, 1995-2008	174
Table 14.5.4	Graft survival by type of transplant, 1995-2008	174
Table 14.5.5	Patient survival by year of transplant (Living related transplant, 1995-2008)	175
Table 14.5.6	Graft survival by year of transplant (Living related transplant, 1995-2008)	175
Table 14.5.7	Patient survival by year of transplant (Commercial cadaver transplant, 1995-2008)	176
Table 14.5.8	Graft survival by year of transplant (Commercial cadaver transplant, 1995-2008)	176
Table 14.6.1	Risk factors for IHD in renal transplant recipients at year 2006, 2007 and 2008	177
Table 14.6.2(a)	Systolic BP, 2006-2008	178
Table 14.6.2(b)	Diastolic BP, 2006-2008	178
Table 14.6.3	CKD stages, 2006-2008	179
Table 14.6.4	BMI, 2006-2008	179
Table 14.6.5(a)	LDL, 2006-2008	180
Table 14.6.5(b)	Total Cholesterol, 2006-2008	180
Table 14.6.5(c)	HDL, 2006-2008	181
Table 14.6.6(a)	Treatment for hypertension, 2006-2008	182
Table 14.6.6(b)	Distribution of Systolic BP without anti-hypertensives, 2006-2008	182
Table 14.6.6(c)	Distribution of Diastolic BP without anti-hypertensives, 2006-2008	182
Table 14.6.6(d)	Distribution of Systolic BP on anti-hypertensives, 2006-2008	182
Table 14.6.6(e)	Distribution of Diastolic BP on anti-hypertensives, 2006-2008	182
Table 14.7.1	Cumulative distribution of QoL-Index score in Transplant recipients 1999 - 2008	183
Table 14.7.2	Cumulative distribution of QoL-Index score in relation to Diabetes mellitus, Transplant recipients 1999 - 2008	183
Table 14.7.3	Cumulative distribution of QoL-Index score in relation to Gender, Transplant recipients 1999–2008	184
Table 14.7.4	Cumulative distribution of QoL-Index score in relation to Age, Transplant recipients 1999-2008	184
Table 14.7.5	Cumulative distribution of QoL-Index score in relation to Year of entry, Transplant recipients 1999-2008	185

LIST OF FIGURES

Figure 1.1	Stock and Flow of RRT, Malaysia 1999-2008	2
(a)	New Dialysis and Transplant patients	2
(b)	Patients Dialysing and with Functioning Transplant at 31st December 1999-2008	2
Figure 1.2	New Dialysis Acceptance and New Transplant Rate 1999-2008	3
Figure 1.3	Dialysis and Transplant Prevalence Rate per million population 1999-2008	3
Figure 2.2.1(a)	Distribution of dialysis centres by Sector, December 2008	7
Figure 2.2.1(b)	Distribution of HD capacity by Sector, December 2008	7
Figure 2.2.1(c)	Distribution of dialysis patients by Sector, December 2008	7
Figure 2.2.1(d)	HD capacity: patient ratio by Sector, December 2008	7
Figure 2.2.2(a)	Distribution of Haemodialysis centres by State, 2008	9
Figure 2.2.2(b)	Distribution of dialysis patients by State, 2008	9
Figure 2.2.2(c)	Distribution of patients/million population by State, 2008	9
Figure 2.2.2(d)	HD capacity to patient ratio by State, 2008	9
Figure 2.2.3	Growth in HD capacity and HD patients in Private, NGO and MOH sectors, 1999-2008	10
Figure 2.3.1(a)	Dialysis Treatment Rate by Gender 1999-2008	11
Figure 2.3.1(b)	Gender Distribution of Dialysis patients 1999-2008	11
Figure 2.3.2(a)	Dialysis Treatment Rate by Age Group 1999-2008	12
Figure 2.3.2(b)	Age Distribution of Dialysis patients 1999-2008	13
Figure 2.3.3	Method and Location of Dialysis Patients 1999-2008	14
Figure 2.3.4	Funding for Dialysis Treatment 1999-2008	15
Figure 2.3.5	Distribution of Dialysis Patients by Sector 1999-2008	16
Figure 2.4.1	Primary Renal Disease for New Dialysis Patients 1999-2008	17
Figure 3.1(a)	Dialysis incidence and GDP per capita, 1980-2005	20
Figure 3.1(b)	Dialysis prevalence and GDP per capita, 1980-2005	20
Figure 3.2(a)	Prevalence of renal replacement therapy (RRT) among various regions in the world 2005 and by countries' per capita GNI according to World Bank classification	19
Figure 3.2(b)	International comparison of income & RRT treatment prevalence, 2005	19
Figure 3.3(a)	Dialysis funding by sector, 1990-2005 (RM million)	21
Figure 3.3(b)	Dialysis funding by sector, 1990-2005 (%)	21
Figure 3.4 (a)	Dialysis human resources, 1990-2005	22
Figure 3.4 (b)	Haemodialysis centres by sector, 1990-2005	22
Figure 3.4 (c)	HD machines by sector, 2000-2005	22
Figure 3.5 (a)	Trends in dialysis cost-efficiency (HD price in 2005 RM)	23
Figure 3.5 (b)	Trends in dialysis cost-efficiency (HD price as % of household income)	23
Figure 3.5 (c)	Trends in dialysis costs: Actual and assuming no efficiency gained	23

LIST OF FIGURES_(CONT.)

Figure 3.7	Dialysis financing equity as measured by Kakwani index, 2005	24
Figure 3.8	Distribution of Dialysis treatment in Malaysia by state, 1990-2005	25
Figure 3.9 (a)	Trends in dialysis geographic equity in Malaysia, 1990-2005	26
Figure 3.9 (b)	Concentration curves of geographic distribution of dialysis treatment by provider sector, 2005	26
Figure 4.1.1	Death Rates on Dialysis 1999-2008	28
Figure 4.2.1(a)	Patient survival by dialysis modality analysis (censored for change of modality)	30
Figure 4.2.1(b)	Patient survival by dialysis modality (not censored for change of modality)	31
Figure 4.2.2	Unadjusted patient survival by year of entry, 1999-2008	32
Figure 4.2.3	Unadjusted patient survival by age, 1999-2008	33
Figure 4.2.4	Unadjusted patient survival by Diabetes status, 1999-2008	34
Figure 4.3.1(a)	Variation in percentage Survival at 1-year adjusted to age and diabetes, 1999-2007	35
Figure 4.3.1(b)	Funnel plot for adjusted age at 60 and diabetes at 1 year, 1999-2007 cohort (HD centres)	35
Figure 4.3.1(c)	Variation in percentage Survival at 5-year adjusted to age and diabetes, 1999-2003	35
Figure 4.3.1(d)	Funnel plot for adjusted age at 60 and diabetes at 5 year, 1999-2003 cohort (HD centres)	35
Figure 4.3.2(a)	Variation in percentage Survival at 1-year adjusted to age and diabetes, 1999-2007	36
Figure 4.3.2(b)	Funnel plot for adjusted age at 60 and diabetes at 1 year, 1999-2007 cohort (PD centres)	36
Figure 4.3.2(c)	Variation in percentage Survival at 5-year adjusted to age and diabetes PD centres, 1999-2003	36
Figure 4.3.2(d)	Funnel plot for adjusted age at 60 and diabetes at 5 year, 1999-2003 cohort (PD centres)	36
Figure 4.4.1(a)	Adjusted hazard ratio for mortality of dialysis patients by diastolic blood pressure (1999-2008 cohort)	39
Figure 4.4.1(b)	Adjusted hazard ratio for mortality of dialysis patients by serum phosphate (1999-2008 cohort)	39
Figure 4.4.1(c)	Adjusted hazard ratio for mortality of dialysis patients by haemoglobin (1999-2008 cohort)	39
Figure 4.4.1(d)	Adjusted hazard ratio for mortality of HD patients by Kt/V (1999-2008 cohort)	41
Figure 4.4.1(e)	Adjusted hazard ratio for mortality of PD patients by Kt/V (1999-2008 cohort)	43
Figure 4.4.2	Variation in odds ratio of death by state, 2007	44
Figure 4.4.3	Variation in odds ratio of death by centre, 2007	45
Figure 5.1	Cumulative distribution of QoL-Index score in relation to Dialysis modality, All Dialysis patients 1999-2008	47
Figure 5.2	Cumulative distribution of QoL-Index score in relation to Diabetes mellitus, All Dialysis patients 1999-2008	47
Figure 5.3	Cumulative distribution of QoL-Index score in relation to Gender, All Dialysis patients 1999-2008	48
Figure 5.4	Cumulative distribution of QoL-Index score in relation to Age, All Dialysis patients 1999-2008	48

LIST OF FIGURES_(CONT.)

Figure 5.5	Cumulative distribution of QoL-Index score in relation to Year of entry, HD patients 1999-2008	49
Figure 5.6	Cumulative distribution of QoL-Index score in relation to Year of entry, PD patients 1999-2008	49
Figure 6.1(a)	Incident cases of RRT by modality in children under 20 years old, 1999-2008	52
Figure 6.1(b)	Prevalent cases of RRT by modality in children under 20 years old, 1999-2008	52
Figure 6.2	Incidence and prevalence rate per million age related population on RRT, 1999-2008	53
Figure 6.4	Number of New Dialysis and Transplant Patients by gender 1999-2008	54
Figure 6.5	New RRT Rate by Age group 1999-2008	55
Figure 6.6	New Dialysis by treatment modality 1999-2008	55
Figure 6.7	New Dialysis by sector 1999-2008	55
Figure 6.10(a)	Patient survival by dialysis modality analysis (not censored with change of modality)	57
Figure 6.10(b)	Patient survival by dialysis modality analysis (censored with change of modality)	57
Figure 6.11	Dialysis Technique Survival by Modality, 1999-2008	58
Figure 6.12	Transplant Graft Survival, 1999-2008	58
Figure 7.1.3	Variation in Erythropoietin utilization (% patients) among HD centres, 2008	61
Figure 7.1.4	Variation in Erythropoietin utilization (% patients) among PD centres, 2008	61
Figure 7.1.5	Variation in median weekly Erythropoietin dose (u/week) among HD centres 2008	62
Figure 7.1.6	Variation in median weekly Erythropoietin dose (u/week) among PD centres 2008	62
Figure 7.1.7	Variation in use of blood transfusion (% patients) among HD centres, 2008	63
Figure 7.1.8	Variation in use of blood transfusion (% patients) among PD centres, 2008	63
Figure 7.2.1	Cumulative distribution of Serum Ferritin without Erythropoietin, HD patients 1999-2008	64
Figure 7.2.2	Cumulative distribution of Serum Ferritin without Erythropoietin, PD patients 1999-2008	64
Figure 7.2.3	Cumulative distribution of Serum Ferritin on Erythropoietin, HD patients 1999-2008	65
Figure 7.2.4	Cumulative distribution of Serum Ferritin on Erythropoietin, PD patients 1999-2008	65
Figure 7.2.5	Cumulative distribution of transferrin saturation without Erythropoietin, HD patients 1999-2008	66
Figure 7.2.6	Cumulative distribution of transferrin saturation without Erythropoietin, PD patients 1999-2008	66
Figure 7.2.7	Cumulative distribution of transferrin saturation on Erythropoietin, HD patients 1999-2008	67
Figure 7.2.8	Cumulative distribution of transferrin saturation on Erythropoietin, PD patients 1999-2008	67
Figure 7.2.9(a)	Variation in median serum ferritin among patients on erythropoietin, HD centres 2008	68
Figure 7.2.9(b)	Variation in proportion of patients on erythropoietin with serum ferritin ≥ 100 ng/ml, HD centres 2008	68
Figure 7.2.9(c)	Variation in median transferrin saturation among patients on erythropoietin, HD centres 2008	69

LIST OF FIGURES_(CONT.)

Figure 7.2.9(d)	Variation in proportion of patients on erythropoietin with transferrin saturation $\geq 20\%$, HD centres 2008	69
Figure 7.2.10(a)	Variation in median serum ferritin among patients on erythropoietin, PD centres 2008	70
Figure 7.2.10(b)	Variation in proportion of patients on erythropoietin with serum ferritin ≥ 100 ng/ml, PD centres 2008	70
Figure 7.2.10(c)	Variation in median transferrin saturation among patients on erythropoietin, PD centres 2008	71
Figure 7.2.10(d)	Variation in proportion of patients on erythropoietin with transferrin saturation $\geq 20\%$, PD centres 2007	71
Figure 7.3.1	Cumulative distribution of haemoglobin Concentration without Erythropoietin, HD patients 1999-2008	72
Figure 7.3.2	Cumulative distribution of haemoglobin concentration without Erythropoietin, PD patients 1999-2008	72
Figure 7.3.3	Cumulative distribution of Haemoglobin Concentration on Erythropoietin, HD patients 1999-2008	73
Figure 7.3.4	Cumulative distribution of Haemoglobin Concentration on Erythropoietin, PD patients 1999-2008	73
Figure 7.3.5 (a)	Variation in median haemoglobin level among patients on Erythropoietin, HD centres 2008	74
Figure 7.3.5 (b)	Variation in proportion of patients on erythropoietin with haemoglobin level >10 g/dL, HD centres 2008	74
Figure 7.3.5 (c)	Variation in proportion of patients on erythropoietin with haemoglobin level >11 g/dL, HD centres 2008	75
Figure 7.3.6 (a)	Variation in median haemoglobin level among patients on Erythropoietin, PD centres 2008	76
Figure 7.3.6 (b)	Variation in proportion of patients on erythropoietin with haemoglobin level >10 g/dL, PD centres 2008	76
Figure 7.3.6 (c)	Variation in proportion of patients on erythropoietin with haemoglobin level >11 g/dL, PD centres 2008	77
Figure 8.1.1	Cumulative distribution of Albumin (g/L), HD patients 1999-2008	79
Figure 8.1.2	Cumulative distribution of Albumin (g/L), PD patients 1999-2008	80
Figure 8.1.3	Variation in Proportion of patients with serum albumin ≥ 40 g/L, HD Centres 2008	81
Figure 8.1.4	Variation in Proportion of patients with serum albumin ≥ 35 g/L PD centres 2008	82
Figure 8.2.1	Cumulative distribution of BMI, HD patients 1999-2008	83
Figure 8.2.2	Cumulative distribution of BMI, PD patients 1999-2008	84
Figure 8.2.3	Variation in Proportion of patients with BMI ≥ 18.5 , HD centres 2008	85
Figure 8.2.4	Variation in Proportion of patients with BMI ≥ 18.5 , PD centres, 2008	86
Figure 8.2.5	Variation in proportion of patients with BMI ≥ 18.5 and serum albumin ≥ 40 g/dL among HD centres 2008	87
Figure 8.2.6	Variation in proportion of patients with BMI ≥ 18.5 and serum albumin ≥ 35 g/dL among PD centres 2008	88
Figure 9.1.5(a)	Variation in median systolic blood pressure among HD patients, HD centres 2008	92

LIST OF FIGURES_(CONT.)

Figure 9.1.5(b)	Variation in median diastolic blood pressure among HD patients, HD centres 2008	92
Figure 9.1.5(c)	Variation in proportion of HD patients with pre dialysis blood pressure <140/90 mmHg, HD centres 2008	93
Figure 9.1.6(a)	Variation in median systolic blood pressure among PD patients, PD centres 2008	94
Figure 9.1.6(b)	Variation in median diastolic blood pressure among PD patients, PD centres 2008	94
Figure 9.1.6(c)	Variation in proportion of PD patients with pre dialysis blood pressure <140/90 mmHg, PD centres 2008	95
Figure 9.2.1	Cumulative distribution of Cholesterol, HD patients 1999-2008	96
Figure 9.2.2	Cumulative distribution of Cholesterol (mmol/L), PD patients 1999-2008	97
Figure 9.2.3	Cumulative distribution of serum Triglyceride, HD patients 1999-2008	98
Figure 9.2.4	Cumulative distribution of serum Triglyceride, PD patients 1999-2008	98
Figure 9.2.5(a)	Variation in median serum cholesterol level among HD patients, HD centres 2008	99
Figure 9.2.5(b)	Variation in proportion of patients with serum cholesterol < 5.3 mmol/L, HD centres 2008	99
Figure 9.2.5(c)	Variation in median serum triglyceride level among HD patients, HD centres 2008	100
Figure 9.2.5(d)	Variation in proportion of patients with serum triglyceride < 2.1 mmol/L, HD centres 2008	100
Figure 9.2.6(a)	Variation in median serum cholesterol level among PD patients, PD centres 2008	101
Figure 9.2.6(b)	Variation in proportion of patients with serum cholesterol < 5.3 mmol/L, PD centres 2008	101
Figure 9.2.6(c)	Variation in median serum triglyceride level among HD patients, HD centres 2008	102
Figure 9.2.6(d)	Variation in proportion of patients with serum triglyceride < 2.1 mmol/L, PD centres 2008	102
Figure 10.2.1	Cumulative distribution of corrected Serum Calcium, HD patients 1999-2008	105
Figure 10.2.2	Cumulative distribution of corrected Serum Calcium, PD patients 1999-2008	105
Figure 10.2.3	Cumulative distribution of Serum Phosphate, HD patients 1999-2008	106
Figure 10.2.4	Cumulative distribution of Serum Phosphate, PD patients 1999-2008	106
Figure 10.2.5	Cumulative distribution of corrected Calcium x Phosphate product, HD patients 1999-2008	107
Figure 10.2.6	Cumulative distribution of corrected Calcium x Phosphate product, PD patients 1999-2008	107
Figure 10.2.7(a)	Variation in median serum calcium level among HD patients, HD centres 2008	108
Figure 10.2.7(b)	Variation in proportion of patients with serum calcium 2.1 to 2.37 mmol/L, HD centres 2008	109
Figure 10.2.8(a)	Variation in median serum calcium level among PD patients, PD centres 2008	108
Figure 10.2.8(b)	Variation in proportion of patients with serum calcium 2.1 to 2.37 mmol/L, PD centres 2008	109
Figure 10.2.9(a)	Variation in median serum phosphate level among HD patients, HD centres 2008	110
Figure 10.2.9(b)	Variation in proportion of patients with serum phosphate 1.13 to 1.78 mmol/L, HD centres 2008	110
Figure 10.2.10(a)	Variation in median serum phosphate level among PD patients, PD centres 2008	111
Figure 10.2.10(b)	Variation in proportion of patients with serum phosphate 1.13 to 1.78 mmol/L, PD centres 2008	111

LIST OF FIGURES_(CONT.)

Figure 10.2.11(a)	Variation in median corrected calcium x phosphate product among HD patients, HD centres 2008	112
Figure 10.2.11(b)	Variation in proportion of patients with corrected calcium x phosphate product < 4.5 mmol ² /L ² 2008	113
Figure 10.2.12(a)	Variation in median corrected calcium x phosphate product among PD patients, PD centres 2008	112
Figure 10.2.12(b)	Variation in proportion of patients with corrected calcium x phosphate product < 4.5 mmol ² /L ² , PD centres 2008	113
Figure 10.3.1(a)	Cumulative distribution of iPTH, HD 1999-2008	114
Figure 10.3.1(b)	Cumulative distribution of iPTH, diabetic HD patients, 1999-2008	114
Figure 10.3.1(c)	Cumulative distribution of iPTH, non diabetic HD patients, 1999-2008	115
Figure 10.3.2(a)	Cumulative distribution of iPTH, PD 1999-2008	115
Figure 10.3.2(b)	Cumulative distribution of iPTH, diabetic PD patients, 1999-2008	116
Figure 10.3.2(c)	Cumulative distribution of iPTH, non diabetic PD patients, 1999-2008	116
Figure 10.3.3(a)	Variation in median iPTH among HD patients, HD centres 2008	117
Figure 10.3.3(b)	Variation in proportion of patients with iPTH 150-300 mg/ml, HD centres 2008	117
Figure 10.3.4(a)	Variation in median iPTH among PD patients, PD centres 2008	118
Figure 10.3.4(b)	Variation in proportion of patients with iPTH 150-300 mg/ml, PD centres 2008	118
Figure 11.3	Variation in Proportion of patients with positive HBsAg among HD centres, 2008	121
Figure 11.4	Variation in Proportion of patients with positive HBsAg by PD centre, 2008	122
Figure 11.5	Variation in Proportion of patients with positive anti-HCV among HD centres, 2008	122
Figure 11.6	Variation in Proportion of patients with positive anti-HCV among PD centres 2008	123
Figure 12.2.1	Blood Flow Rates in HD centres, 1999-2008	129
Figure 12.2.4	Dialyser membrane types in HD centres, 1999-2008	131
Figure 12.2.7(a)	Cumulative distribution of prescribed Kt/V, HD patients 1999-2008	133
Figure 12.2.7(b)	Cumulative distribution of delivered Kt/V, HD patients 2005-2008	134
Figure 12.2.7(c)	Cumulative distribution of URR, HD patients 2005-2008	134
Figure 12.2.8(a)	Variation in median blood flow rates in HD patients among HD centres 2008	135
Figure 12.2.8(b)	Variation in Proportion of patients with blood flow rates > 250 ml/min among HD centres 2008	135
Figure 12.2.8(c)	Variation in proportion of patients with 3 HD sessions per week among HD centres 2008	136
Figure 12.2.8(d)	Variation in median prescribed Kt/V in HD patients among HD centres 2008	137
Figure 12.2.8(e)	Variation in proportion of patients with prescribed Kt/V ≥ 1.3 among HD centres 2008	138
Figure 12.2.8(f)	Variation in median delivered Kt/V in HD patients among HD centres 2008	139
Figure 12.2.8(g)	Variation in proportion of patients with delivered Kt/V ≥ 1.2 among HD centres 2008	139
Figure 12.2.8(h)	Variation in median URR among HD patients among HD centres 2008	140

LIST OF FIGURES_(CONT.)

Figure 12.2.8(i)	Variation in proportion of patients with URR >65 % among HD centres 2008	140
Figure 12.3.1	Unadjusted technique survival by Dialysis modality, 1999-2008	141
Figure 12.3.2	Unadjusted technique survival by year of entry, 1999-2008	142
Figure 12.3.3	Unadjusted technique survival by age, 1999-2008	146
Figure 12.3.4	Unadjusted technique survival by Diabetes status, 1999-2008	144
Figure 13.2.1	Cumulative distribution of delivered Kt/V, PD patients 2003-2008	147
Figure 13.2.2	Variation in proportion of patients with Kt/V \geq 1.7 per week among PD centres 2008	148
Figure 13.3.1	Unadjusted technique survival by Dialysis modality, 1999-2008	149
Figure 13.3.2	Unadjusted technique survival by year of entry, 1999-2008	150
Figure 13.3.3	Unadjusted technique survival by age, 1999-2008	151
Figure 13.3.4	Unadjusted technique survival by Gender, 1999-2008	152
Figure 13.3.5	Unadjusted technique survival by Diabetes status, 1999-2008	152
Figure 13.3.6	Unadjusted technique survival by Kt/V, 1999-2008	153
Figure 13.4.1	Patient survival by dialysis modality analysis (not censored for change of modality)	156
Figure 13.5.1	Variation in peritonitis rate among PD centres, 2008	159
Figure 14.1.1:	Stock and Flow of Renal Transplantation, 1975-2008	163
Figure 14.1.2	New transplant rate, 1975-2008	164
Figure 14.1.3	Transplant prevalence rate, 1975-2008	164
Figure 14.4.2(a)	Transplant Recipient Death Rate, 1976-2008	171
Figure 14.4.2(b)	Transplant Recipient Graft Loss Rate, 1976-2008	171
Figure 14.5.1	Patient survival, 1995-2008	173
Figure 14.5.2	Graft survival, 1995-2008	173
Figure 14.5.3	Patient survival by type of transplant, 1995-2008	174
Figure 14.5.4	Graft survival by type of transplant, 1995-2008	174
Figure 14.5.5	Patient survival by year of transplant (Living related transplant, 1995-2008)	175
Figure 14.5.6	Graft survival by year of transplant (Living related transplant, 1995-2008)	175
Figure 14.5.7	Patient survival by year of transplant (Commercial cadaver transplant, 1995-2008)	176
Figure 14.5.8	Graft survival by year of transplant (Commercial cadaver transplant, 1995-2008)	176
Figure 14.6.1(a)	Venn Diagram for pre and post transplant complications (%) at year 2006	177
Figure 14.6.1(b)	Venn Diagram for pre and post transplant complications (%) at year 2007	177
Figure 14.6.1(c)	Venn Diagram for pre and post transplant complications (%) at year 2008	177
Figure 14.6.2(a)	Systolic BP, 2006-2008	178
Figure 14.6.2(b)	Systolic BP, 2006-2008	178
Figure 14.6.3	CKD stages by year	179



LIST OF FIGURES_(CONT.)

Figure 14.6.4	BMI 2006-2008	179
Figure 14.6.5(a)	LDL, 2006-2008	180
Figure 14.6.5(b)	Total Cholesterol, 2006-2008	180
Figure 14.6.5(c)	HDL by year	181
Figure 14.7.1	Cumulative distribution of QoL-Index score in Transplant recipients 1999 - 2008	183
Figure 14.7.2	Cumulative distribution of QoL-Index score in relation to Diabetes mellitus, Transplant recipients 1999 - 2008	183
Figure 14.7.3	Cumulative distribution of QoL-Index score in relation to Gender, Transplant recipients 1999 – 2008	184
Figure 14.7.4	Cumulative distribution of QoL-Index score in relation to Age, Transplant recipients 1999-2008	184
Figure 14.7.5	Cumulative distribution of QoL-Index score in relation to Year of entry, Transplant recipients 1999-2008	185

REPORT SUMMARY

- ◆ Intake of new dialysis patients increased linearly from 1559 in 1999 to 3874 in 2007 with corresponding treatment rates of 69 and 143 per million population.
- ◆ Prevalent dialysis patients increased from 5542 (244 per million population) in 1999 to more than 17015 (626 per million) at year end 2007 and almost 19000 in 2008. Transplant numbers and rates showed a decreasing trend last 2 years.
- ◆ Except for Sabah and Kelantan, all the other states have treatment rates of more than 100 per million state population since 2007. Pulau Pinang, Melaka, Johor, Negri Sembilan and WP Kuala Lumpur have dialysis treatment rates exceeding 200 per million.
- ◆ Centre survey report December 2008: 485 hemodialysis centres and 31 peritoneal dialysis (PD) centres provided dialysis care to 19221 patients. The MOH provided dialysis to 32.4% of patients, NGO 29.9% and the private sector at 36.3%. Public sector dialysis centres provided PD to 98% of PD patients.
- ◆ The treatment gap between men and women has remained consistent over the years.
- ◆ Dialysis treatment rates for those >55 years of age continued to increase.
- ◆ 86% of new patients were accepted into centre haemodialysis
- ◆ The government continued to fund about 54% of new dialysis treatment, NGO funding was 10% in 2007/ 2008, and self funding 25%.
- ◆ The proportion of new ESRD patients due to diabetes mellitus was 58% in 2006 and 2007 and 55% in 2008.
- ◆ The rapid economic growth led to rapid increase in dialysis provision by government, non-government and private sectors.
- ◆ Factored for inflation, the price of dialysis has declined in real terms
- ◆ The affordability of dialysis has improved, although at 65% of average household income needed to maintain one patient on dialysis, it remains a catastrophic illness for family finances when compared to affordability in most developed countries.
- ◆ The extent of inequality in provision is declining across all sectors. Public sector provision now significantly favours those in less developed states. NGO and private provision still favours the more developed states
- ◆ The annual death rate for those on PD and HD in 2008 was 14.5% and 9.6% respectively.
- ◆ Cardiovascular disease and death at home remained the commonest cause of death in 2008 at 29 and 22% respectively; death due to sepsis accounted for 17%.
- ◆ The overall unadjusted 5 years and 10 years patient survival on dialysis were 58% and 35% respectively
- ◆ There was wide centre variation with regards to HD and PD patient survival at one and 5 years adjusted for age and diabetic status. The median one-year survival for HD centres was 96% and PD centres 94%.
- ◆ There was at least 2-fold variation in odds ratio of death by dialysis centres.

REPORT SUMMARY (CONT.)

- ◆ For HD patients, there were positive correlation between age of patient, diabetes mellitus, diastolic BP, serum calcium, serum phosphate and hepatitis B antigenaemia with mortality while negative correlation was noted between serum albumin, haemoglobin concentration, calcium phosphate product and Kt/V with mortality. Patients commencing dialysis in 2007-2008 has 12% lower adjusted hazard ratio for mortality when compared to those started dialysis from 2000-2006. PD patients did not show correlation with serum cholesterol, hepatitis B status and Kt/V.
- ◆ Median QoL index scores were satisfactory and HD patients achieved a lower score than PD patients. Diabetes Mellitus and older age group are factors associated with lower median QoL index scores.
- ◆ In 2008, 87% of HD and 77% of PD patients were on erythropoietin (EPO). Blood transfusion rate in dialysis patients was 16% in 2008. Use of parenteral iron has increased, with corresponding reduction in oral iron prescription. 23% of HD patients were on IV iron therapy in 2008. The median weekly EPO dose remained at 4000 units, in both HD and CAPD patients. 86 % of patients have serum ferritin of >200 ng/ml and 56% of patients >500 ng/ml. 91% of all patients have transferrin saturation greater than 20% Median haemoglobin level was 10.8g/L in 2008. Wide variations were seen in the use of EPO, blood transfusion rates, measures of iron stores and hemoglobin levels in HD and PD centres
- ◆ Serum albumin levels remained at mean and median of about 40g/L for HD and about 33 g/L in PD patients in 2008. There were wide variations in the proportion of patients with serum albumin of at least 40g/L in HD and serum albumin of >35 g/L in PD centres.
- ◆ Body mass index for HD patients has stabilized around 23 to 24, but was still increasing for patients on PD. There was wide variation in proportion of patients with BMI \geq 18.5 and serum albumin > 40 g/L in both HD and PD centres.
- ◆ In 2008, predialysis systolic BP remained high in HD patients. There was better control of predialysis diastolic blood pressure in HD patients. Blood pressure (BP) control in PD patients improved over the years. The variation noted among the various HD and PD centres in median systolic or diastolic BP was not wide but there was wide variation in the proportion of patients achieving BP of <140/90 mmHg.
- ◆ Serum cholesterol and triglyceride levels were lower in HD than in PD patients. There remained significant variation in lipid control between dialysis centres.
- ◆ In 2008 about 92% of HD patients and 86% of PD patients were still on calcium carbonate. . Calcitriol remained the main vitamin D used in both HD and PD patients and its use continued to rise. The percentage of patients who underwent parathyroidectomy has doubled in 2008 compared to 2005 among those HD and PD patients The mean corrected serum calcium remained slightly lower in the HD patients compared to PD patients. Phosphate control continued to be better in PD patients. The proportion of PD patients achieving target serum phosphate 1.13-1.78 mmol/l was 55% compared to 48% of HD patients. Mean (iPTH) level seemed to be on increasing trend among both HD and PD patients. There was wide variation in the median levels of serum calcium, phosphate, calcium phosphate product and iPTH among both hemodialysis and PD centres.
- ◆ The prevalence of hepatitis C in HD patients continues to decline annually by 2-3%. Prevalence of hepatitis B though low, is also declining annually The proportion of HCV infected patients varied widely between HD centers. Previous renal transplant and history of blood transfusion were associated with a significantly higher risk of HCV seroconversion. Completely assisted HD patients and diabetics had a significantly lower risk of acquiring HCV infection

- ◆ Haemodialysis practices: In 2008, 91% of patients used native arteriovenous fistula. There was increased use of brachiocephalic fistulae, higher blood flow rates, increased usage of synthetic membranes, and almost universal use of bicarbonate buffer. 95% reuse dialysers. Although the prescribed median Kt/V was 1.6 in 2008, the delivered median Kt/V was only 1.4. The percentage of patients with a delivered Kt/V ≥ 1.3 was 58%. The median urea reduction ratio was 71.3% and the percentage of patients with URR $\geq 65\%$ was 79%. There was wide variation in the proportion of patients with blood flow rates of >250 ml/min, prescribed Kt/V of ≥ 1.3 and delivered Kt/V of ≥ 1.2 but less variation in urea reduction ratio among HD centres. Technique survival was better in HD compared to PD. Younger age groups and the non-diabetics have better technique survival but the year of starting dialysis did not impact on technique survival.
- ◆ Chronic PD practices - . In 2008, there is a 13% increment of PD utilization compared to year 2007 with a total number of 2083 patients. APD accounted for 12% in 2008. For CAPD, 94% were on Baxter disconnect system. 86% were on 4 exchanges a day, 88% used a fill volume of 2 L. The median delivered weekly Kt/V was 2.0, 82% achieved target Kt/V of ≥ 1.7 with a 1.8 fold variation between the highest and the lowest performing centres. The risk factors associated with poor PD technique survival are older age, diabetes, peritonitis episodes, cardiovascular disease, low BMI, hypoalbuminemia, abnormal lipid profile, serum haemoglobin less than 11g/dL, high calcium phosphate level and assisted PD. The commonest reason for PD drop-out was peritonitis, followed by membrane failure and patient preference.
- ◆ In 2008, the median peritonitis rate dropped to 28.4 pt-months per episode. There is still a wide inter-centre variation with the highest and lowest peritonitis rates of 12 and 132.2 pt-months per episode median peritonitis rate. Gram-positive organisms accounted for 27% of peritonitis episodes while 34% were due to gram negative organisms.

Renal transplantation

- ◆ There were 100 new renal transplant recipients in 2007 and only 88 in 2008. There were 1730 patients with functioning transplants at the end of 2008. The incidence rate and prevalence rate of kidney transplant seem to reduce in year 2008
- ◆ Age at transplant has been stable at 34 to 42 years and between 58% and 70% of recipients are males over the last 10 years. 15% were diabetics, 4% HbsAg positive and 4% anti-HCV positive at the time of transplantation.
- ◆ Commonest known primary renal disease was chronic glomerulonephritis followed by hypertension and diabetes mellitus.
- ◆ Since 2006, the number of life donor has remained low - 31 in 2007 and 25 in 2008. Local cadaveric donation made up 18% of transplants. Commercial transplants from China constituted only 41% and 45% in 2008.
- ◆ Proportion of renal transplant recipients on cyclosporine slowly declined to 69% in 2008, Tacrolimus based regimes accounted for 24%. Use of MMF increased to 5% and azathioprine decreased to 28%.
- ◆ Seven percent developed diabetes mellitus post transplantation
- ◆ The rates of transplant death and graft loss have remained static for the past 10 years. Infection, cancer and death at home were the commonest causes of death. Renal allograft rejection accounted for 50-75% of graft losses for the last 10 years

- ◆ Overall patient survival rates from 1995 to 2008 have been 95%, 91%, 88% and 81% at year 1, 3, 5 and 10 respectively. Overall graft survival rate has been 91%, 85%, 80% and 66% at year 1, 3, 5 and 10 respectively.
- ◆ Living donor transplantation had the best patient survival. Living done and commercial cadaver grafts had the best graft survival rates.

Paediatric Renal Replacement Therapy

- ◆ The dialysis acceptance rate for paediatric patients in 2008 was 7 pmarp
- ◆ New transplant rate was 2 pmarp
- ◆ The overall incidence rate for all RRT in 2008 was 8 pmarp
- ◆ At the end of 2008 there were a total of 555 patients under 20 years of age on dialysis giving a dialysis prevalence rate of 48 pmarp
- ◆ The numbers of children with functioning transplants in 2008 was 173, giving a prevalence rate of 15 pmarp
- ◆ Dialysis treatment rate were higher in economically advantaged states of Malaysia but the gap is becoming less marked in the last 5 years
- ◆ The number of 0-4 year olds provided RRT remained very low
- ◆ Chronic PD was the initial dialysis modality in about 54% of patients. Of this 5% were on automated PD
- ◆ About 90% of children received their dialysis in government centres
- ◆ The commonest cause of ESRD was glomerulonephritis (excluding FSGS), which affected 22% of patients. FSGS on its own accounted for 8% of cases.
- ◆ HD patient survival was 94% at 1 year and 82% at 5 years
- ◆ PD patients survival was 93% at 1 year and 77% at 5 years
- ◆ In the last 5 years; cadaveric renal transplant was the commonest type of renal transplant done, accounting for about 42% of cases compared to 36% for living related.
- ◆ Transplant patient survival was 98% at 1 year and 92% at 5 years; graft survival was 89% at 1 year and 75% at 5 years.

ABBREVIATIONS

BMI	Body Mass Index
BP	Blood pressure
CAPD	Continuous Ambulatory Peritoneal Dialysis
CCPD/APD	Continuous cycling peritoneal dialysis/automated peritoneal dialysis
CI	Concentration Index
CKD	Chronic kidney disease
CRA	Clinical Registry Assistant
CRA	Clinical Registry assistant
CRC	Clinical Research Centre
CRF	Case report form
CRM	Clinical Registry Manager
CVD	Cardiovascular Disease
DAPD	Daytime Ambulatory Peritoneal Dialysis
DM	Diabetes Mellitus
DOQI	Dialysis Outcome Quality Initiative
eMOSS	Malaysian Organ Sharing System (Renal)
ESRD	End Stage Renal Disease
GDP	Gross domestic product
GNI	Gross National Income
HD	Haemodialysis
HKL	Kuala Lumpur Hospital
ITT	Intention to treat
iPTH	Intact parathyroid hormone
JNC VI	Joint National Committee on management of hypertension
Kt/V	Number used to quantify hemodialysis and peritoneal dialysis treatment adequacy
LQ	Lower quartile
MDTR	Malaysian Dialysis and Transplant Registry
MOH	Ministry of Health, Malaysia
MOSS	Malaysian Organ Sharing System
MRRB	Malaysian Registry of Renal Biopsy
MSN	Malaysian Society of Nephrology
NGO	Non-governmental organization
NRIC	National Registration Identity Card
NRR	National Renal Registry, Malaysia
PD	Peritoneal dialysis
PET D/P	peritoneal transport status dialysate and plasma (D/P ratio)
pmarp	per million age related population
pmp	per million population
QoL	Quality of Life
ref	reference
RCC	Registry coordinating centre
RRT	Renal replacement therapy
SC	Site coordinator
SDP	Source data producer
UQ	Upper quartile
URR	Urea reduction rate

